



LIVE THE EDGE.







www.cosco.in

Contents





Court Shoes | Running Shoes



PAGE

Tennis Balls | Bats | Helmets Protectors | Leather Balls Kit Bags | Net | Grips







Racquets | Nets | Shuttlecocks Floors | Grips | Strings

Racquets | Grips Strings

PAGE Racquets | Balls Net | Grips | Strings



PAGE Goggles | Caps

PAGE



Tables | Balls | Bats | Blades | Rubbers Floors | Shoes | Accessories | Robots



Yoga | Recovery | Bags & Balls Training | Bench | Strength











COSCO (INDIA) LIMITED

Product Range:

Sporting Goods, Fitness Equipments COSCO is a leading Sports & Fitness Products Company in India and exports to many countries worldwide. COSCO represents many International Brands like: TRETORN (Sweden), STIGA (Sweden), Newgy (USA), Adidas for Indian market.

Head Office: 2/8 Roop Nagar, Delhi-110007 (INDIA)

Works Area: Factory Area-200,000 sq. ft. Plus in Gurgaon

Works Force: Team of Management, Sales, Service and workers of 600+

Marketing & Service: The Company has a full-fledged marketing division supported by sufficient staff and distribution network of around 800 dealers covering all the states in India. We have efficient After Sales Service and provide reliable backup Facilities to our Customers.

R & D and Quality Control:

Committed to Quality - Its our constant endeavor to provide & delight consumers with New and Innovative Products having better Design, Engineering and Aesthetic appeal. All products are tested to International Standard and are Manufactured/ Sourced to make the best available for our customers.

Brands represented for Indian market









COSCO - An ISO 9001:2015 Certified Company

05-14






Osph Osph

Tom Joseph (Arjuna Awardee) is an Indian volleyball player and Ex-Captain of Indian National team.

OFFICIAL BALL

VOLLEYBALL FEDERATION OF INDIA 2019-20

SUPER VOLLEY FOR SUPER PLAY.



SUPER VOLLEY

Code: 15002

Size /Panels: 4/18, Weight (gms): 260~280, Circumference (cms): 65~67, Bladder: Butyl, Construction: Pasted, Winding: Nylon Winding





Leather

Professional

SMASH VOLLEY

Code: 15004

Size:4, Panels:10, Weight (gms): 260~280, Circumference (cms): 65~67, Bladder: Butyl, Construction: Pasted, Winding: Nylon Winding







ACCLAIM


Code: 15007

Size /Panels: 4/18, Weight (gms): 260~280, Circumference (cms): 65~67, Bladder: Butyl, Construction: Pasted, Winding: Nylon Winding










ATTACKER

Code: 15025

Size /Panels: 4/18, Weight (gms): 260~280, Circumference (cms): 65~67, Bladder: Butyl, Construction: Pasted, Winding: Nylon Winding







FLAOTER

Code: 15024

Size /Panels: 4/18, Weight (gms): 260~280, Circumference (cms): 65~67, Bladder: Butyl Winding: Nylon Winding, Construction: Pasted





10





BEACH VOLLEY

Code: 15017

Size /Panels: 4/18, Weight (gms): 260~280, Circumference (cms): 65~67, Bladder: Latex, Backing: 2 Poly Cotton, Construction: Hand Sewn





CHAMPION VOLLEY

Code: 15019

Size /Panels: 4/18, Weight (gms): 260~280, Circumference (cms): 65~67, Bladder: Latex, Backing: 2 Poly Cotton, Construction: Hand Sewn









GOLD STAR

Code: 15005

Size /Panels: 4/18, Weight (gms): 260~280, Circumference (cms): 65~67, Bladder. Latex, Backing: 2 Poly Cotton, Construction: Hand Sewn





STITCHED BALLS



STAR VOLLEY

Code: 15021

Size /Panels: 4/18, Weight (gms): 260~280, Circumference (cms): 65~67, Bladder. Latex, Backing: 2 Poly Cotton, Construction: Hand Sewn





FLIGHT VOLLEY

Code: 15020

Size /Panels: 4/18, Weight (gms): 260~280, Circumference (cms): 65~67, Bladder: Latex, Backing: 2 Poly Cotton, Construction: Hand Sewn









VOLLEY 18

Code: 15010

Size /Panels: 4/18, Weight (gms): 260~280, Circumference (cms): 65~67, Bladder. Latex, Backing: 2 Poly Cotton, Construction: Hand Sewn





12

STRIKER

Code: 15018

Size /Panels: 4/18, Weight (gms): 260~280, Circumference (cms): 65~67, Bladder. Latex: Backing: 2 Poly Cotton, Construction: Hand Sewn









VOLLEY 32

Code: 15008

Size /Panels: 4/32, Weight (gms): 260~280, Circumference (cms): 65~67, Bladder: Latex, Backing: 2 Poly Cotton, Construction: Hand Sewn





HI POWER

Code: 15014

Size /Panels: 4/32, Weight (gms): 260~280, Circumference (cms): 65~67, Bladder Latex, Backing: 2 Poly Cotton, Construction: Hand Sewn







STITCHED BALLS | NETS



PREMIER VOLLEY

Code : 15015

Size /Panels: 4/18, Weight (gms): 260~280, Circumference (cms): 65~67, Bladder: Latex, Backing: 2 Poly Cotton, Construction: Hand Sewn







NET- COTTON

Code: 35004

4 Side Tape, Official Specifications, Colour: White



NET-NYLON

Code: 35005

4 Side Tape, Official Specifications Colour: Black




NET-TOURNAMENT

Code: 35009

4 Side Tape, 10.5 Meters, PVC Coated Steel Wire, International Specifications Colour. Black





SHOT VOLLEY

Code: 15012

Size /Panels: 4/18, Weight (gms): 260~280, Circumference (cms): 65~67, Bladder: Butyl, Backing: Nylon Winding, Construction: Moulded





CYCLONE

Code: 15026

Size /Panels: 4/18, Weight (gms): 260~280, Circumference (cms): 65~67, Bladder: Butyl, Backing: Nylon Winding, Construction: Moulded









TARGET

Code: 15027

Size /Panels: 4/18, Weight (gms): 260~280, Circumference (cms): 65~67, Bladder: Butyl, Backing: Nylon Winding, Construction: Moulded





15-32







FIFA TEST CRITERIA



Consistent Circumference Footballs are inflated to a defined pressure and then the ball's raius is measured at defined points.


Prermanent Roundness (Sphericity)

The diffrence between the average radius and each individual radius is measured and must not exceeed a certain percentage.



Uniform rebound
Football are dropped ten times on to a plate from a height to two meters and must rebound consistently.

Minimal water absorption (Outdoor and beach soccer balls only) Footballs are turned and squeezed 250 times in a tank full of water. The ball must not absorb too much water.



Per Fo

Perfect Weight
Footballs are turned and squeezed
250 times in a tank full of water. The
ball must not absorb too much water.

Balance: Minimal Change of Direction (futsal only) Footballs are turned and squeezed 250 times in a tank full of water. The ball must not absorb too much water.





Shape and size reterntion
The test ensures the ball's shape
pressure and and circumference
remain constant for the duration of
a match and only applies for the top
quality fifa APPROVED balls. The ball
is fired 2,000 times against a steel
plate at 50 kilometres per hour. The
seams and air valves must remain
undamaged and only minimal loss of
pressure and changes in roundness
and circumference are permitted.









PLATINA

Code: 14023

Size /Panels: 5/32, Weight (gms): 420~445, Circumference (cms): 68.5~69.5, Bladder: Latex, Backing: 4 Poly Cotton, Construction: Hand Sewn





PROFESSIONAL

More Information:

https://football-technology.fifa.com/en/resource-hub/certified-product-database/footballs/footballs-licencees/





BRAZIL

Code: 14020

Size /Panels: 5/32, Weight (gms): 410~450 Circumference (cms): 68~70, Bladder: Latex, Backing: 4 Poly Cotton, Construction: Hand Sewn







IMS APPROVED BALLS

SUPER STAR

Code: 14045

Size /Panels: 5/32, Weight (gms): 410~450, Circumference (cms): 68~70, Bladder. Latex, Backing: 4 Poly Cotton, Construction: Hand Sewn









DELTA FORCE

Code: 14004

Size /Panels: 5/32, Weight (gms): 410~450, Circumference (cms): 68~70, Bladder: Latex, Backing: 4 Poly Cotton, Construction: Hand Sewn





20







GOLD CUP

Code: 14001

Size /Panels: 5/32, Weight (gms): 410~450, Circumference (cms): 68~70, Bladder: Latex, Backing: 4 Poly Cotton, Construction: Hand Sewn







Size /Panels: 5/32, Weight (gms): 410~450, Circumference (cms): 68~70, Bladder: Butyl, Backing: 4 Poly Cotton, Construction: Stitchless Bonded Tehnology















MEXICO

Code: 14021

Size /Panels: 5/32, Weight (gms): 410~450, Circumference (cms): 68~70, Bladder: Latex, Backing: 4 Poly Cotton, Construction: Hand Sewn









TORINO

Code: 14022

Size /Panels: 5/32, Weight (gms): 400~450, Circumference (cms): 68~70, Bladder. Latex, Backing: 3 Poly Cotton, Construction: Hand Sewn





cosco

22



MADRID

Code: 14029

Size /Panels: 5/32, Weight (gms): 410~450, Circumference (cms): 68~70, Bladder: Latex, Backing: 4 Poly Cotton, Construction: Hand Sewn





TRAINING







NORWAY

Code: 14015

Size /Panels: 4/32, Weight (gms): 360~390, Circumference (cms): 63~66, Bladder: Latex, Backing: 3 Poly Cotton, Construction: Hand Sewn











ITALIA

Code: 14031

Size /Panels: 3/32, Bladder: Latex, Backing: 2 Poly Cotton, Construction: Hand Sewn





PVC









MILANO

Code: 14006

Size /Panels: 5/32, Weight (gms): 410~450, Circumference (cms): 68~70, Bladder: Latex, Backing: 3 Poly Cotton, Construction: Hand Sewn





BRIMBLED

Code: 14015

Size /Panels: 5/32, Weight (gms): 410~450, Circumference (cms): 68~70, Bladder. Latex, Backing: 3 Poly Cotton, Construction: Hand Sewn









PERMALAST

Code: 14016

Size /Panels: 5/32, Weight (gms): 410~450, Circumference (cms): 68~70, Bladder: Latex, Backing: 3 Poly Cotton, Construction: Hand Sewn





STAR Code: 14035

Size /Panels: 5/32, Weight (gms): 400~450, Circumference (cms): 68~70, Bladder. Latex, Backing: 3 Poly Cotton, Construction: Hand Sewn









PREMIER

Code: 14018

Size /Panels: 5/32, Weight (gms): 400~450, Circumference (cms): 68~70, Bladder: Latex, Backing: 3 Poly Cotton, Construction: Hand Sewn





ASTRA

Code: 14053

Size /Panels: 5/32, Weight (gms): 410~450, Circumference (cms): 68~70, Bladder. Latex, Backing: 3 Poly Cotton, Construction: Hand Sewn







24



COSCO

ROMA

Code: 14010

Size /Panels: 5/32, Weight (gms): 400~450, Circumference (cms): 68~70, Bladder: Butyl, Construction: Moulded, Winding: Nylon Winding





MUNDIAL

Code: 14013

Size /Panels: 5/32, Weight (gms): 400~450, Circumference (cms): 68~70, Bladder. Butyl, Construction: Moulded, Winding: Nylon Winding









HURRICANE

Code: 14050

Size /Panels: 5/32, Weight (gms): 400~450, Circumference (cms): 68~70, Bladder: Butyl, Construction: Moulded, Winding: Nylon Winding





THUNDER

Code: 14051

Size /Panels: 5/32, Weight (gms): 400~450, Circumference (cms): 68~70, Bladder: Butyl, Construction: Moulded, Winding: Nylon Winding











26



BERLIN

Code: 14032

Size /Panels: 5/32, Weight (gms): 400~450, Circumference (cms): 68~70, Bladder. Latex Backing: 3 Poly Cotton, Construction: Hand Sewn









CUBA

Code: 14030

Size /Panels: 5/32, Weight (gms): 400~450, Circumference (cms): 68~70, Bladder. Butyl, Backing: 2 Poly Cotton, Construction: Machine Stitch, Winding: Nylon Winding













CROATIA

Code: 14030

Size /Panels: 4/32, Weight (gms): 360~390, Circumference (cms): 63~66, Bladder. Latex, Backing: 3 Poly Cotton, Construction: Hand Sewn







RIO

Code: 14026

Size /Panels: 3/32, Bladder: Butyl, Backing: 1 Poly Cotton, Construction: Machine Stitch, Winding: Nylon Winding





PVC







Cesce BELGIUM

BELGIUM

Code: 14026

Size /Panels:3/32, Bladder: Latex, Backing: 2 Poly Cotton, Construction: Hand Sewn





COSCO



PERU

Code : 14048

Size /Panels: 2/32, Bladder. Latex, Backing: 2 Poly Cotton, Winding: Hand Sewn













DELTA

Code: 34009

Ergonomic Design Extra Protection with Shin Socks, Size: Senior



Code: 34005

Transparent Thick PC Shell for Maximum Shock Absorption, Size: Senior





GOAL

Code: 34008

Flexi Fit, Attractive Design with Foam Backing, Size: Senior

28



EXTREME

Code: 34004

Washable Shin Guard with Ankle and Foam Protection, Size: Senior



IMPACT

Code: 34003

Stylish Shinguard with Reinforced Anklet for more Protection, Size: Senior



ROCKY

Code: 34007

Compact Size Foam Backing, Size: Senior

30



SHOOTER

Code: 34002

Strong PP Shell with 4mm Foam Backing Size: Senior



KICKER

Code: 34001

Hard PP Shell & EVA Foam Backing Size: Senior



CLUB

Code: 34006

PP Shell & EVA Foam Backing Size: Junior



SHIELD

Code: 39001

Palm Foam, Back PVC, Flat Cut Size: S/M/L

PROTECTOR

Code: 39002

Palm Foam, Back Foam, Finger Cut Size: M/L




000000

S = Small / M = Medium / L = Large

Code : 39003 Palm 100% Germai

ULTIMAX

Palm 100% German Foam, Back Soft Foam, Hybrid Cut Size: M/L



NET-NYLON

Code: 35006

Black, Twisted, Official Specifications





PENALTY

Code: 38006

Light Weight TPU Sole, PU Upper, Assorted Colours Size: 3|4|5|6|7|8|9|10





ACTION 2.0

Code: 38007

Light Weight TPU Sole, PVC Upper Size: 2|3|4|5|6|7|8|9|10





WORLD CUP 2.0

Code: 38008

Light Weight TPU Sole, PVC Upper Size: 2|3|4|5|6|7|8|9|10







33-40









CHALLENGE

Code: 13002 (S-7)

Size /Panels: 7/12, Weight (gms): 580~650, Circumference (cms): 75~77, Bladder. Butyl, Construction: Pasted, Colour. Two Colours, Winding: Nylon Winding







PULSE

Code: 13029 (S-7)

Size /Panels: 7/12, Weight (gms): 580~650, Circumference (cms): 75~77, Bladder: Butyl, Construction: Moulded, Colour: Two Colours, Winding: Nylon Winding







BALLS-RUBBER



HI-GRIP

Code: 13018 (S-7)

Size /Panels: 7/8, Weight (gms): 580~650, Circumference (cms): 75~77, Bladder. Butyl, Construction: Moulded, Colour. Orange, Winding: Nylon Winding





SUPER

Code: 13004 (S-7)

Size /Panels: 7/8, Weight (gms): 580~650, Circumference (cms): 75~77, Bladder. Butyl, Construction: Moulded, Colour. Orange, Winding: Nylon Winding







DRIBBLE

Code: 13013 (S-7)

Size /Panels: 7/8, Weight (gms): 580~650, Circumference (cms): 75~77, Bladder: Butyl, Construction: Moulded, Colour. Orange, Winding: Nylon Winding





RUBBER

PREMIER

Code: 13033 (S-7)

Size /Panels: 7/12, Weight (gms): 580~650, Circumference (cms): 75~77, Bladder. Butyl, Construction: Moulded, Colour: Two Colours Winding: Nylon







EURO STAR

Code: 13038 (S-7)

Size /Panels: 7/8, Weight (gms): 580~650, Circumference (cms): 75~77, Bladder: Butyl, Construction: Moulded, Colour. Mix Colours, Winding: Nylon









FUNTIME

Code: 13019 (S-7)

Size /Panels: 7/8, Weight (gms): 580~650, Circumference (cms): 75~77, Bladder. Butyl, Construction: Moulded, Colour. Orange, Winding: Polyester









36



MULTI GRAPHICS

Code: 13011 (S-3)

Size /Panels: 3/8 | Weight (gms): 250~280 | Circumference (cms): 58~60 | Bladder. Butyl | Construction: Moulded | Colour. Multi Graphics | Winding: Polyster Windings











38



EURO STAR

Code: 13041 (S-3)

Size /Panels: 3/8 | Weight (gms): 250~280 | Circumference (cms): 58~60 | Bladder: Butyl | Construction: Moulded | Colour: Mix Colours Polyster Windings

Jump H Du

ump #

mp H P







PREMIER COLOURED

Size /Panels: 3/8 | Weight (gms): 250~280 | Circumference (cms): 58~60 | Bladder: Butyl | Construction: Moulded | Colour: Mix Colours Polyster Windings








BACK BOARDS



ACRA 48"

Code: 36001

Transparent Shatter Proof Carbonate Back Board, Height: Adjustable Height 7.5 ft to 10 ft. 3 pcs of 3" pole system, Base: Vinyl heavy duty base with transport wheel, can be filled with water or sand.



ACRA 44"

Code: 36002

Transparent Shatter Proof Carbonate Back Board, Height: Adjustable Height 7.5 ft to 10 ft. 3 pcs of 3" pole system, Base: Vinyl heavy duty base with transport wheel can be filled with water or sand.

40



NET

Code: 35001

Thick white, PP silky finish

The ring is not a part of the product.











THROWBALL- CHAMPIONSHIP

Code: 17007

Size /Panels: 5/18, Weight (gms): 410~450, Circumference (cms): 68~70, Bladder: Latex, Backing: 3 Poly Cotton, Construction: Hand Sewn





THROWBALL-DEUCE

Code: 17008

Size /Panels: 5/18, Weight (gms): 410~450, Circumference (cms): 68~70, Bladder: Latex, Backing: 3 Poly Cotton, Construction: Hand Sewn









NETBALL - GRIP

Code: 17002

Size /Panels: 5/18, Weight (gms): 410~450, Circumference (cms): 68~70, Bladder. Latex, Backing: 3 Poly Cotton, Construction: Hand Sewn







FUTSAL - ATOM

Code: 17010

Size /Panels: 4/32, Weight (gms): 410~430, Circumference (cms): 62~63, Bladder. Latex, Backing: 3 Poly Cotton, Construction: Hand Sewn





FUTSAL - STRIKER

Code: 17009

Size /Panels: 4/32, Weight (gms): 410~430, Circumference (cms): 62~63, Bladder: Latex, Backing: 3 Poly Cotton, Construction: Hand Sewn









WATERPOLO-INTERNATIONAL

Code: 17001

Size /Panels: 5/18, Weight (gms): 410 \sim 450, Construction: Moulded, Bladder. Butyl, Circumference (cms): 68 \sim 70, Winding: Nylon Winding







RUGBY-SPORTCO

Code: 17006

Size /Panels: 5/4, Weight (gms): 410~440, Circumference (cms): 28~30, Bladder: Latex, Backing: 3 Poly Cotton, Construction: Hand Sewn







45-46 SP





RUN

Code: 38100

Jogging shoe, Light Weight Phylon Sole, P. U. Top, Assorted Colours, Size: 5|6|7|8|9|10







ALLCOURT

Code: 38200

Allcourt, Non Marking Rubber Sole, P. U. Top, Assorted Colours, for indoor courts, Size: 5|6|7|8|9|10









HIT

Code: 3810

Jogging shoe, Light Weight EVA Sole, PVC Top, Assorted Colours, Size: 5|6|7|8|9|10









Condition of the second second

47-62 CERICI



49

CRICKET TENNIS BALLS



CRICKET

Code : 12001 Light Weight Balls Packing: 6 Balls/Box

TUFF Code: 12002

Heavy Weight balls Packing: 6 Balls/Box





SWING

Code: 12008

Light Weight Cricket Tennis Balls, Packing: 3 Balls/Box

THE BEST OF KASHMIR WILLOW



51



RAZOR Code: 18021

Size: Full, Material: Kashmir Willow, Grade: Excellent Quality | 9 Star



THUNDER

Code: 18005

Size: Full, Material: Kashmir Willow, Grade: Best Quality | 7 Star

Code: 18006

Size: Full, Material: Kashmir Willow, Grade: Top Quality | **5 Star**





JUMBO DRIVE

Code: 18007

Size: Full, Material: Kashmir Willow, Grade: Premium Quality | **3 Star**



DOUBLE CENTURY

Code: 18008

Size: Full, Material: Kashmir Willow Grade: Good Quality | **1 Star**



SCORER

Code: 18009

Size: Full, Material: Kashmir Willow Grade: Budget Quality





STRIKER

Code: 18015 (S-4) / 18016 (S-5), 18017 (S-6)/ 18025 (Full)

Popular Willow, Well Balanced Grade: Cricket Tennis Bat



BLASTER

Code: 18019

Size: Full, Material: Kashmir Willow, Grade: Cricket Tennis Bat, Light Weight Long Blade with Short Handle



PREDATOR

Code: 19030

Indian PU Faced, EVA Padded



TEST Code: 19002 Indian PU Faced, EVA Padded



COUNTY

Code: 19003

Indian PU Faced, Cotton Padded



CLUB

Code: 19004

Indian PU Faced, Straight Sides Size: M/Y/B

BATTING GLOVES			
Age (years)	8-11	12-16	16+
Glove Size			



PREDATOR

Code: 19031

Leather Palm, EVA Padded, 2 Split Fingers







COUNTY

Code: 19007

Leather Palm, Cotton Padded



Code: 19008

All Cotton, Cotton Padded Size: M/Y/B





TEST *Code: 19009*Wicket Keeping Legguards
Indian PU Faced, EVA Padded



Code: 19010

Wicket Keeping Legguards Indian PU Faced, Cotton Padded



COSCO Test Test

TESTCode: 19011
Wicket Keeping Gloves
Full Leather, Rubber Face with Inner

STUMP

Code: 19012

Wicket Keeping Gloves Leather Back, Rubber Face with Inner





TEST Code: 19021 Alum Tanned, 4 Pcs. Grade: Test



Alum Tanned, 4 Pcs. Grade: Match





COUNTY Code: 19023 Alum Tanned, 4 Pcs. Grade: Practice

CLUB Code: 19024







PROLITE
Code: 19013
Thigh Pads

Cotton Face, Double Density Foam



COUNTY
Code: 19014
Thigh Pads
Cotton Face, Plastazote Padded



CLUBCode: 19015
Elbow Guard
Indian PU Faced, Dual Density Foam



SLIP IN *Code: 19016*Abdominal Guard
Size: Men / Youth



GRIPPER *Code: 19032*Gripper Design
Mix Colours



CHEVRON RING
Code: 19033
Chevron Design
Mix Colours



SCALE
Code: 19036
Scale Design
Mix Colours

HELMETS | GRIPS



Beginner Level | Size: L /M /S/XS



L = Large / M = Medium / S = Small / XS = Extra Small



COUNTY Code: 19020

COIL Code: 19029 Coil Design Mix Colours



SPRING BAND Code: 19034 Spring Design Mix Colours




OCTOPUS Code: 19035 Octopus Design Mix Colours

TEAMCode: 19017
Tetron Bag with Wheels
Size: 34"x14"x14"



CLUB Code: 19018 Tetron Bag Backpack Size: 28"x13"x10"



CRICKET NET-NYLON

Code: 35008

Blue, Twisted, 30x3m

63-76

64





CB-80 Jr. (TWIN RACKET)

CODE: 29028

Material (Frame, Shaft) : Aluminium, Steel Length (Shaft): 600±2 | Head Size: ISO Balance (mm): 260±10 | Tension (Lbs): 18-20 Cover: Full | Grip (Material, Size) : Imitate PU, G5 Weight (gms.): 95±5 | Frame: Dia.(mm): 10 **CB-**85 (TWIN RACKET)

CODE: 29030

Material (Frame, Shaft): Aluminium, Steel Head Size: ISO | Balance (mm): 300±10 Tension (Lbs): 18-20 | Cover: Full Grip (Material, Size): Imitate PU, G5 Weight (gms.): 100±5 | Frame: Dia.(mm): 10

RACQUETS-RECREATIONAL



CB-88

Material (Frame, Shaft) : Aluminium, Steel Head Size: ISO | Balance (mm): 300±10 Tension (Lbs): 18-20 | Cover: 1/2 Cover Grip (Material, Size): Imitate PU, G5 Weight (gms.): 100±5 | Frame: Dia.(mm): 10



CB-885

CODE: 29025

Material (Frame, Shaft) : Aluminium, Steel Head Size: ISO | Balance (mm): 300±10 Tension (Lbs): 18-20 | Cover: ³/₄ Cover Grip (Material, Size) : Imitate PU, G5 Weight (gms.): 100±5 | Frame: Dia.(mm): 12



CB-89

CODE: 29016

Material (Frame, Shaft): Aluminium, Steel Head Size: ISO | Balance (mm): 300±10 Tension (Lbs): 18-20 | Cover: 3/4 Cover Grip (Material, Size): PU, G5

Weight (gms.): 100±5 | **Frame**: Dia.(mm): 12



CB-90

CODE: 29001

Material (Frame, Shaft): Aluminium, Steel Head Size: ISO | Balance (mm): 300±10 Tension (Lbs): 18-20 | Cover: 3/4 Cover Grip (Material, Size): PU, G5

Weight (gms.): 100±5 | Frame: Dia.(mm): 10







Code: 29002

Material (Frame, Shaft) : Aluminium, Steel Head Size: ISO | Balance (mm): 305±10 Tension (Lbs): 22-24 | Cover: Full Grip (Material, Size) : PU, G5 Weight (gms.): 95±5 | Frame: Dia.(mm): 10



CB-95

CODE: 29017

Material (Frame, Shaft): Aluminium, Steel Head Size: ISO | Balance (mm): 300±10 Tension (Lbs): 18-20 | Cover: ¾ Cover Grip (Material, Size): PU, G5 Weight (gms.): 100±5 | Frame: Dia.(mm): 12 **CB-**120

Code: 29004

Material (Frame, Shaft): Aluminium, Steel Head Size: ISO | Balance (mm): 305±10 Tension (Lbs): 22-24 | Cover: Full Grip (Material, Size): PU, G5 Weight (gms.): 95±5 | Frame: Dia.(mm): 10

RACQUETS-TRAINING







CB-175E

Code: 29037

Material (Frame, Shaft) : Aluminium, Steel Head Size: ISO | Balance (mm): 305±10 Tension (Lbs): 18-20 | Cover: Full Grip (Material, Size) : PU+EVA, G5 Weight (gms.): Under 100

CB-150E

Code: 29005

Material (Frame, Shaft): Aluminium, Steel Head Size: ISO | Balance (mm): 290±10 Tension (Lbs): 22-24 | Cover: Full Grip (Material, Size): PU, G5 Weight (gms.): 95±5 | Frame: Dia.(mm): 10

CBX-222

Code: 29027

Material (Frame, Shaft) : Aluminium, Steel Head Size: ISO | Balance (mm): 305±10 Tension (Lbs): 24-26 | Cover: Full Grip (Material, Size) : PU, G5 Weight (gms.): 95±5 | Frame: Dia.(mm): 10

68







Code: 29007

Material (Frame, Shaft): Aluminium, FRP Head Size: ISO | Balance (mm): 305±10 Tension (Lbs): 20-22 | Cover: Full Grip (Material, Size): PU, G5 Weight (gms.): Under 100



CBX-225

Code: 29038

Material (Frame, Shaft): Aluminium, Steel Head Size: ISO | Balance (mm): 305±10 Tension (Lbs): 20-22 | Cover: Full Grip (Material, Size): PU, G5 Weight (gms.): Under 100

CBX-400

Code: 29008

Material (Frame, Shaft): Aluminium, Tempered Steel Head Size: ISO | Balance (mm): 305±10 Tension (Lbs): 20-22 | Cover: Full Grip (Material, Size): PU, G5 Weight (gms.): 95±5

RACQUETS-CARBON







CBX-450

Code: 29014

Material (Frame, Shaft): Aluminium, Carbon Head Size: ISO | Balance (mm): 305±10 Tension (Lbs): 20-22 | Cover: Full Grip (Material, Size): PU, G5 Weight (gms.): 95±5

CBX-410

Code: 29013

Material (Frame, Shaft) : Aluminium, Carbon Head Size: ISO | Balance (mm): 305±10 Tension (Lbs): 20-22 | Cover: Full Grip (Material, Size) : PU, G5 Weight (gms.): 95±5

CBX-555

Code: 29009

Material (Frame, Shaft) : Aluminium, Carbon Head Size: ISO | Balance (mm): 310±10 Tension (Lbs): 20-22 | Cover: Full Grip (Material, Size) : PU, G5 Weight (gms.): 95±5





Code: 29033

Material (Frame, Shaft): Aluminium, Carbon Head Size: ISO | Balance (mm): 340±10 Tension (Lbs): 20-22 | Cover: Full Grip (Material, Size): PU, G5 Weight (gms.): 95±5



CBX-850

Code:29034

Material (Frame, Shaft): Aluminium, Carbon Head Size: ISO | Balance (mm): 330±10 Tension (Lbs): 20-22 | Cover: Full Grip (Material, Size): PU, G5 Weight (gms.): 95±5

RACQUETS-CARBON TECH







Code:29035

Material (Frame, Shaft): Carbon, Carbon Head Size: ISO | Balance (mm): 295±10 Tension (Lbs): 24-26 | Cover: Full Grip (Material, Size): PU, G5 Weight (gms.): 87±5




Code: 29036

Material (Frame, Shaft) : Carbon, Carbon Head Size: ISO | Balance (mm): 305±10 Tension (Lbs): 22-24 | Cover: Full Grip (Material, Size) : PU, G5 Weight (gms.): 88±5



Code: 29029

Material (Frame, Shaft): Carbon, Carbon Head Size: ISO | Balance (mm): 305±10 Tension (Lbs): 26-28 | Cover: Full Grip (Material, Size): PU, G5 Weight (gms.): 86±3



BADMINTON COURT - COMPETITION

Code: 40001

Colour. Green | Description: Imported Competition Badminton Court, 4 Roll per Court, PVC Material, 5mm Thickness | Court Size: L-15 x W-7 m | Surface Life: 7 Years

Product Specification/Models

Surface patterns: Crystal Sand | Color : Green | Width of single Roll: 1.8m | Length of single Roll: 1.5m | Total thickness: 5.0mm | Thickness of wear-resisting layer: 1.5mm | Total length & width of court borderline: 13.4m*6.1m | Total length and width of floor: 1.5m*7.1m | Total areas of Badminton Court : 106.5m2 | Warranty period: 1.5m*7.1m | Total areas of Badminton Court : 1.5m*7.1m | Warranty period: 1.5m*7.1m | Total areas of Badminton Court : 1.5m*7.1m | Warranty period: 1.5m*7.1m | Total areas of Badminton Court : 1.5m*7.1m | Warranty period: 1.5m*7.1m | Total areas of Badminton Court : 1.5m*7.1m | Warranty period: 1.5m*7.1m | Warra









REPLACEMENT

GRIP- EXTRA LIFE





OVERGRIP - DURA SOFT

Code: 33040

Overgrip for all Rackets, Tacy, Sweat Absorbent and Durable. (60 Pcs. Packed in Plastic Box) Thickness: 0.75mm Code: 33050

Replacement Grip for all Rackets, Extra Tacy, Sweat Absorbent and Durable. (24 Pcs. Packed in Plastic Box) Thickness: 2.0mm

TAPE Code: 40100 Double Sided Tape Roll Length: 45mtr.

BWF Approved



Be a PIOI PLATINUM PRO FEATHER SHUTTLECOCK

- **✓** Premium Grade Goose Feather
- **✓ Top Quality Portuguese Cork**
- **✓ Flight and Speed Tested**
- High Durability

Code : 20006

Portugues Cork Premium Grade Goose Feathers | Flight & Speed Tested | Grade: Tournament



All Shuttles are Flight and Speed Tested



PLATINUM

Code: 20005

Cork Base, Selected Feathers Grade: Championship



CS 666

Code: 20002

Cork Base, Selected Feathers Grade: Standard















BADMINTON NET-COTTON

Code: 35002

Cotton, 4 Side Tape Official Specifications, Colour: Brown



BADMINTON NET-NYLON

Code: 35003

Nylon Twisted, 4 Side Tape Official Specifications, Colour. Brown



BADMINTON NET-MATCH

Code: 35010

Sticky Cord, 4 Side Tape, Official Specifications, Colour: Brown, Box Pack



ECO GUT

Code: 33001

Badminton String Thickness: 0.70mm, Gauge: 21, Length: 10m



CBS-70

Code: 33002

Badminton String Thickness: 0.70mm, Gauge: 22



CBS-80

Code: 33003

Badminton String

Thickness: 0.80mm, Gauge: 22

UASIE SIE 277-80





POWER - 175

Code: 31002

Material (Frame, Shaft): Aluminium Head Size (Sq.in): 78 | Balance (mm): 325± Tension (Lbs): 18-20 | Cover: Full Grip Material : PU | Weight (gms.): 225±

Frame Dia. (mm): 19



LST-125

Code: 31001

Material (Frame, Shaft): Aluminium Head Size (Sq.in): 78 | Balance (mm): 330± Tension (Lbs): 18-20 | Cover: Full (Non-woven) Grip Material: PU) | Meight (gms.): 210±

Frame Dia. (mm): 19

ELEMENT

Code: 31007

Material (Frame, Shaft) : Aluminium Composite Head Size (Sq.in): 80 | Balance (mm): 340± Tension (Lbs): 20-22 | Cover: Full (Non-woven) Grip Material: PU | Weight (gms.): 210± Frame Dia. (mm): 19

78

100%

GRAPHITE





AGGRESSION 99

Code: 31004

Material (Frame, Shaft): Aluminium Graphite Head Size (Sq.in): 78 | Balance (mm): 365± Tension (Lbs): 20-22 | Cover: Full (Non-woven) Grip Material: PU | Weight (gms.): 170±

Frame Dia. (mm): 17

TOURNAMENT

Code: 31003

Material (Frame, Shaft): Aluminium Composite Head Size (Sq.in): 76 | Balance (mm): 330± Tension (Lbs): 20-22 | Cover: Full Grip Material : PU | Weight (gms.): 210±

Frame Dia. (mm): 19

LASER CS 200

Code: 31005

Material (Frame, Shaft) : Graphite Head Size (Sq.in): 78 | Balance (mm): 360± Tension (Lbs): 22-26 | Cover: Full (Non-woven) Grip Material : Hi-Soft PU | Weight (gms.): 160± Frame Dia. (mm): 18

TITANIUM 10x

Code: 31006

Material (Frame, Shaft): H. M. Graphite Head Size (Sq.in): 74 | Balance (mm): 370± Tension (Lbs): 22-26 | Cover: Full Grip Material: Hi-Soft PU | Weight (gms.): 140±

Frame Dia. (mm): 18



SENSA PRO 30

Code: 33030

Squash String | Thickness: 1.40mm | Gauge: 15 L



OVERGRIP - DURA SOFT

Code: 33040

Overgrip for all Rackets, Tacy, Sweat Absorbent and Durable. (60 Pcs. Packed in Plastic Box)

Thickness: 0.75mm




REPLACEMENT GRIP - EXTRA LIFE

Code: 33050

Replacement Grip for all Rackets, Extra Tacy, Sweat Absorbent and Durable. (24 Pcs. Packed in Plastic Box)

Thickness: 2.0mm

81-90 FININIS







CHAMPIONSHIP

Code: 11001

Pressurised Balls, Packed in Petcan of 3 Balls

High quality rubber core and Woven EU Felt construction for good balance & durability



ALL COURT

Code: 11004

Pressurised Balls, Packed in Petcan of 3 Balls

High quality rubber core and Imported Non-Woven Felt construction.





SERIE Code: 11015

CHALLENGE

Pressurised Balls, Packed in Pet Can of 3 Balls

Tretorn SERIE



Official ball of several tournaments on the ATP World Tour and ATP Challenger Tour.The thin rubber core and a premium woven felt gives superior feel & consistent performance



PLUS

Code: 11014
Pressureless Balls, Packed in Box Pack of 4 Balls

High-Tec woven felt and a highly responsive rubber core for optimal playability

PRO COURT

Code: 11019

Pressurised Balls, Packed in Pet Can of 3 Balls

High quality rubber core and duraweave felt construction for good balance & durability

RACQUETS-JUNIOR DRIVE SERIES











ACE-23 Code: 30020

Material (Frame, Shaft): Fused Aluminium Head Size (Sq.in): 97 | Balance (mm): 275± Tension (Lbs): 30-40 | Cover: Full (Non-woven)

Grip (Material, Size) : PU, L00 **Weight** (gms.): 245± | **Frame** Dia. (mm) : 20

Material (Frame, Shaft): Fused Aluminium

Head Size (Sq.in): 85 | Balance (mm): 260± Tension (Lbs): 30-35 | Cover: Full (Non-woven)

Grip (Material, Size): PU, L000

Grip (Material, Size): PU, LO

Weight (gms.): 270± | Frame Dia. (mm): 20

Weight (gms.): 230± | Frame Dia. (mm): 20





ACE-26

Code: 30004

Material (Frame, Shaft): Fused Aluminium Head Size (Sq.in): 98 | Balance (mm): 320± Tension (Lbs): 35-40 | Cover: Full (Non-woven) Grip (Material, Size): PU, L1

Weight (gms.): 270± | Frame Dia. (mm): 20



MAX POWER

Code: 30006

Material (Frame, Shaft) : Aluminium O Beam Head Size (Sq.in): 100 | Balance (mm): 335± Tension (Lbs): 40-45 | Cover: Full (Non-woven) Grip (Material, Size): PU, L2 Weight (gms.): 300± | Frame Dia. (mm): 23



ACTION 2000D

Code: 30007

Material (Frame, Shaft) : Fused Aluminium Head Size (Sq.in): 105 | Balance (mm): 345± Tension (Lbs): 45-50 | Cover: Full Grip (Material, Size): PU, L2 Weight (gms.): 310± | Frame Dia. (mm): 23



ATTACKER

Code: 30013 Material (Frame, Shaft) : Fused Aluminium Head Size (Sq.in): 110 | Balance (mm): 335± Tension (Lbs): 45-50 | Cover: Full (Non-woven) Grip (Material, Size): PU, L2 Weight (gms.): 325± | Frame Dia. (mm): 22



POWER BEAM

Code: 30008

Material (Frame, Shaft) : Fused Aluminium Head Size (Sq.in): 103 | Balance (mm): 345± Tension (Lbs): 45-50 | Cover: Full Grip (Material, Size): PU, L2
Weight (gms.): 285± | Frame Dia. (mm): 23



EURO TOP

Material (Frame, Shaft): Fused Carbon Head Size (Sq.in): 100 | Balance (mm): 350± Tension (Lbs): 48-52 | Cover: Full (Non-Woven) Grip (Material, Size): PU, L2 Weight (gms.): 285± | Frame Dia. (mm): 23

RADAR TOUR

Code: 30010

Material (Frame, Shaft): Graphite
Head Size (Sq.in): 100 | Balance (mm): 325±
Tension (Lbs): 55-60 | Cover: Full (Non-Woven)
Grip (Material, Size): Hi-Soft PU, L2
Weight (gms.): 290± | Frame Dia. (mm): 23



DURA PRO 40

Code: 33020 Tennis String

Thickness: 1.40mm, Gauge: 15 L



Code: 35007

Nylon, Twisted, 3 Side Tape, PVC Coated Wire, Colour: Black



OVERGRIP - DURA SOFT

Code: 33040

Overgrip for all Rackets, Tacy, Sweat Absorbent and Durable. (60 Pcs. Packed in Plastic Box) Thickness: 0.75mm



REPLACEMENT GRIP -

EXTRA LIFE

Code: 33050

Replacement Grip for all Rackets, Extra Tacy, Sweat Absorbent and Durable. (24 Pcs. Packed in Plastic Box)

Thickness: 2.0mm







SILICONE - S/C Code: 25002

100% Silicone with Vibrant Single Colour Available in Assorted Colours



SILICONE - M/C

Durable, 100% Silicone Ink, Available in Multi-Colour Designs







AQUA SPLASH Code: 25014

Senior, Quick Adjust, Big Lens, Anti-Fog, UV Protection, Liquid Silicon





AQUA PRO Code: 25010

Senior, Quick Adjust, Anti-Fog, UV Protection, Liquid Silicon









AQUA JET +

Code: 25009

Senior, Quick Adjust, Anti-Fog, UV Protection,





AQUA MAX Code: 25011

Senior, Anti-Fog, UV Protection, Single Piece, All Silicon



AQUA DASH Code: 25006

Senior, Anti-Fog, UV Protection, TPE, PC Lens







AQUA WAVE

Code: 25013

Senior, Anti-Fog, UV Protection, Single Piece, TPE / PVC, PC Lens



Junior, Anti-Fog, UV Protection, Silicon Strap, TPE/PVC, PC Lens







AQUA JUNIOR

Code: 25007

Junior, Anti-Fog, UV Protection, Silicon Strap, TPE/PVC, PC Lens



SPEED Code: 23012

Imported Inline Skate, Advance Breathable Shell, Big PU Wheels with ABEC-7 Bearing, Carbon steel low rolling resistance, secure and quick closure, balanced frame for power and stablilty, Aluminium frame.

Size	S	М	L	XL
Shoe	31-34	35-38	39-42	43-46
Wheel (mm)	80	84	90	90







WHEELS

Code: 23009

Imported Inline Skate wheels for Speed & Sprint. Casted PU Wheels








SPRINT

Code: 23008

Imported Inline Skate, Advance Breathable Shell, Big PU Wheels with ABEC-7 Bearing, Carbon steel low rolling resistance, secure and quick closure, balanced frame for power and stablilty, Aluminium frame.

Size	S	М	L	XL
Shoe	31-34	35-38	39-42	43-46
Wheel (mm)	70	72	76	76



*Annular Bearing Engineering Committee (ABEC). The higher ABEC classes provide better precision, efficiency and greater speed capabilities.

SHOE SKATE SWIFT Code: 23015 Synthetic wheel, adjustable size with back pack Size S М Shoe 31-34 35-38 39-42







Synthetic Wheel, Adjustable size with break Size: Senior



100

Synthetic Wheel, Adjustable size Size: Junior









PROTECTIVE KIT

Code: 23005 (Sr)/23006 (Jr)/23007 (Bg)

[4 In 1] Includes Head, Knee, Elbow & Palm Guard, Size: Senior, Junior, Beginner



EXTREME

Code: 23010 (Sr)/ 23011 (Jr)

Expandable Poly Styrene, Adjustable Size Helment, Size: Senior/Junior











102

103-126







TABLES



Ideal Table for Clubs CLUB ROLLER Code: 32139

Foldable, Easy to Transport 15mm Top Board, Made in China, Storage: W-152.5 x D-66.5 x H-154 cm, Net Wt.: 120 Kg.







18mm Top Board, Foldable, Suitable for Indoor Use. Easy Assembly. All wheels are maneuverable.

TECHNICAL SPECIFICATION OF TABLES



COMPACT STORAGE SYSTEM

Table tennis has always occupied many people within a limited space. Training and competitions often require many tables to be available at the same time. CSS tables make it easier to store large numbers in a small space.

- · The table halves are stored folded into each other, thus reducing drastically the space required.
- The height of the table is only 155 cm.
- Each table leaf has it's own wheeled base, which means the table is easier to handle.



COMPACT SYSTEM

The new folding system minimizes the risk of injuries during table storage due to its unique compact design.



NET INCLUDED

Some of our tables comes with suitable net.



The Safety Bar will prevent that a child can stay between the table tops.



PATENT SYSTEM FOR UNLOCKING

By pulling the metal handle, which is connected to a wire, the safety devices will be released and the table can be placed into playing position.



ONLY FOR INDOOR USE

This table should only be used for indoor playing.



EN-NORM 14468-1

CLASS A CLASS B

CLASS C CLASS D



INTERNATIONAL MEASUREMENTS FOR PLAYING:

LENGTH = 274 cm WIDTH = 152,5 cm HEIGHT = 76 cm



Bat & Ball Holder



Compact Storage System



Compact System



106









SONIC

Code: 32065

Hobby bat set (2 Bats + 3 Balls), Set Sonic is developed for the player who requires a high quality recreational bat with excellent ball control, Size: 1.5 mm Rubber

FIGHT

Code: 32005

Designed for beginners, though even experienced players can comfortably use it. The bat is known to be as effective at play. Size: 1.5 mm Rubber



TOLEDO

Code: 32093

High quality recreational bat with exellent ball control, Size: 1.5 mm Rubber



TORNADO

Code: 32006

Ideal for the first player needing a little extra control in their game. It has a reverse rubber face that gives good control, Size: 1.5mm with Bouncer Bubber





KONTRA

Code: 32007

The reverse pimpled rubber is ideal beginners. Suited for defensive style of play. It allows better control and a wide range of strokes, Size: 1.7 mm Rubber with concave handle



PEAK ★
Code: 32094

The peak is the optimum choice for control, Size: 1.6 mm Rubber



ORION *

Code: 32008

The Orion is optimum choice for control players who want tofeatures excellent control, Size: 1.7 mm Rubber



TRONIC ★★

Code: 32095

The Tronic is the optimum choice for the control player, who would like to develop his or her own game, Size: 1.7 mm Rubber



TECHNIC ★★

Code : 32150

The Tronic is the optimum choice for the control player, who would like to develop his or her own game, Size: 1.7 mm Rubber



ELITE ★★

Code: 32010

The racket offers accelerated blade speed and extra sensitivity of touch over the ball, Size: 1.7 mm Rubber



MASTERS ★★

Code: 32009

The masters with Drive rubber Sheets provides good speed, and WRB system added control, Size: 1.5 mm Rubber



TACTIC ★★★

Code: 32151

The masters with Drive rubber Sheets provides good speed, and WRB system added control, Size: 1.5 mm Rubber

CARBON CR ★★★

Code: 32096

It offers dynamic combination of power and soft feel, Size: 2.0mm Rubber



SEDRO***

Code: 32097

It offers increased speed, spin och control, Size: 2.0mm Rubber



REVTECH***

Code: 32056

It offers increased speed, spin and control, Size: 2.0mm Rubber



TITANIUM ★★★★★

It offers pure speed rather than spin, Size: 2.4mm Rubber



BUILDING WORLD CHAMPIONS







CUP

Code: 32013

40+ mm Celluloid Ball, Practice ball with playing characteristics and quality similar to many competition balls in terms of roundness, weight and stability suitable for Schools.

Level: Training





TRAINING



Code: 32170

Practice ball with playing characteristics and quality similar to many competition balls in terms of roundness, weight and stability.

Level: Training





PERFORM 40+

Code: 32168

Very high quality ITTF approved competition ball. Selected through both an automatic and manual process to ensure professional quality in terms of raw material, weight and roundness. Level: 3 Star Competition





J. M. S. CONTROL

Description: Beginner, ideal for offensive minded blades who want extra touch and control when attacking and counter attacking.

CONTROL	80
SPEED	58
ELASTICITY	FEELING /
VENEER 5	STYLE OFF+





ALLROUND CLASSIC

A perfect balanced blade between speed, weight and feel. World's best selling competition blade. Grip: Legend/Master/Winner

CONTROL	78
SPEED	63
ELASTICITY	FEELING
VENEED 5	CTVL F ALL







OFFENSIVE CLASSIC

Code: 32020

An attacking, light weight blade. Built to suite fast and technical attacking play. Grip: Legend/Master/Winner

CONTROL	73
SPEED	80
ELASTICITY	POWER
VENEER 5	STYLE OFF







Ar fa GI

ALL ROUND CLASSIC CARBON

Code: 32152

An attacking, light weight blade. Built to suite fast and technical attacking play.
Grip: Legend/Master/Winner







OFFENSIVE CLASSIC CARBON

Code: 32153

Diamond Touch (OFF) with VPS (Veneer Precision System). Grip: Legend/Master/Winner

CONTROL	76
SPEED	92
ELASTICITY	STIFF
VENIEED 5+2	STVLE OFF -







CELERO

Code : 32161

Famous for speed & power blade, This blade is perfect for the players with a controlled offensive style of play. Surface with extra hardness and smooth finish. Thinner and harder middle veneers which gives more control without losing power. Grip: Legend/Master/Winner

CONTROL	74
SPEED	95
ELASTICITY	FEELING
VENEER 5	STYLE OFF









CLIPPER CR

Code: 32023

Clipper CR blades are appreciated for its speed by players who want extra power. Grip: Legend/Master/Winner

CONTROL	64
SPEED	112
ELASTICITY	NEARLY STIFF
VENEER 7	STYLE OFF







CARBO 7.6

Code: 32087

Offensive blade built with 7 wood and 6 carbon layers. Very popular among attacking players in Asia. WRB-system gives faster returns, more power and extra sensitivity of touch. Grip: Legend/Master/Winner









INFINITY VPS V

Code: 32137

Best suited for aggressive receives and powerful topspin shots. Surface with extra hardness and smooth finish. Special temperature treated middle veneers (VPS) gives great stability. Grip: Legend/Master/Winner

CONTROL	70
SPEED	100
ELASTICITY	STIFF
VENEER 5	STYLE OFF







Used by: **Fan Zhendong**





ARCTIC WOOD

Code : 32164

Stiff offensive 5-ply blade. Unique pale outer veneer with rustic feeling. Special temperature treated middle veneers (VPS) which reduce vibration and give great stability.

Grip: Legend/Master/Winner

CONTROL	65
SPEED	110
ELASTICITY	STIFF
VENEER 5	STYLE OFF







DYNASTY CARBON

Code: 32175

Very offensive 5+2-ply blade. TeXtreme+ carbon technology for increased sweet spot and stability. Adapted for the ABS-ball. Hand Made in Sweden.

CONTROL	46
SPEED	142
ELASTICITY	STIFF
VENEER 5+2	STYLE OFF+









LEGACY CARBON

Code : 32174

Very offensive 5+2 ply blade with 12k Energy Carbon technology (88 g carbon fibre/m2). Unique combination of carbon fibre and three classic STIGA wood veneers. Long, powerful trajectory and enlarged sweet spot. Great control and feeling in the short game. Hand Made in Sweden.







116



CARBONADO 145

Code: 32145

Constructed with Carbon layers in a 45 degree angle. it a perfect choice for the offensive player who looks for good speed and stability combined with excellent control. Wide personalized sweet spot. Grip: Legend/Master/Winner









CARBONADO 190

Code: 32146

Constructed with Carbon layers in a 90 degree angle. excellent choice forplayers who want to command the gameplay with high speed strokes, High personalized sweet spot. Grip: Legend/Master/Winner










CARBONADO 145 & 190



100 gram Carbon fibre per m2.

The special TeXtreme® Spread Tow Carbon is flexible in only one direction, either flexural or torsional, making it possible in the manufacturing process to adjust and improve the ball trajectory and speed to accommodate playing style. The two layers of carbon are applied in a 45 degree angle or a 90 degree angle.





THE WRB SYSTEM accelerates the blade face for faster returns, more power and extra sensitivity of touch.



THE CR SYSTEM (Combi Revolution) is when front part of the blade is UV finished, which yields a reasonably increased speed to the ball. A CR system blade is at least 21% faster than a conventional one.



THE ACS-TECHNOLOGY allows very high speed to be combined with max springiness/elasticity in an ultralight rubber with outstanding control.



THE STIGA TUBE is a technology where the middle veneer with "microchannels" lengthways in the middle ply of the blades. The channels are then filled with different materials depending on the blade's desired



Ti

THE STIGA TITANIUM rackets is built for speed! Our researchers were amazed by the results of the blend of extremely light Titanium with our handpicked choice woods. This combination is clearly a 21st century weapon. This blade is ideal for smashing and attacking the ball at all stages of the rally.

THE CRYSTAL TECHNOLOGY increase your speed. Normal blade treatments

use regular lacquer, but Crystal Technology employs a transparent hydrophilic gel lacquer that STIGA specially developed.

VENEER PRECISION SYSTEM (VPS) Treats the veneers with a unique and exact heating and cooling process. It gives the outer surface extra hardness and an incredibly smooth finish.








J.M.S. EV01

Code: 32132

JMS EVO 1 is an exceptional allround rubber. It guarantees easy in learning all offensive strokes. It is suited for powerfull attacking style of play with control, Thickness: 2.0mm Max





CHOP & DRIVE

Code: 32030


Very soft sponge absorbs the ball and increases the contact time. Produces excessive underspin when required. Best suits the defensive/allround player.







118



MENDO ENERGY

Code: 32172

JPower-Soft-Rubber that is of world class quality. The developed sponge creates maximum friction on the ball. Thickness: 2.3mm Max











GENESIS S/M

Soft Sponge of the Rubber creates a truly sensational touch and feel for the player. It gives crisp clear sound on striking the ball. The Trans Tension Sponge generate maximum tension and sponge power. Thickness: 2.3mm Max

CONTROL	83/77
SPEED	144/152
SPIN	131/131
SPONGE	SOFT/MEDIUM
STYLE Spin E	lastic





CALIBRA LT SOUND/LT SPIN/LT

Code: 32092

STYLE Spin Elastic

Calibra LT has a Medium Hard Sponge suitable for the Highly Skilled Player. Calibra LT Spin has a Medium Soft Sponge recommended for Highly Trained Attackers. Calibra LT Sound has a Soft Sponge suitable for All types of Offensive Play,

Thickness: 2.2mm Max











/TIGE CALIBRA ストー スト スト

CALIBRA TOUR S/M/H

Code: 32138

The Soft Sponge with the APS-Technology provides good speed due to the increased spin features. Suitable for players with Lower hitting power. The Medium-Hard Sponge with the APS-Technology provides very High Speed due to the increased Spin Capacity. Tour M is suitable for players with Medium Strong hitting power.

The Hard Sponge with the APS-Technology provides extremely High Speed due to the Increased Spin capacity. Tour H is suitable for players with Strong hitting power. Thickness 2.1mm Max

CONTROL	86/80/80
SPEED	14/148/149
SPIN	127/127/127
SPONGE	S/M/H
STYLE Spin Elastic	_









120







MANTRA S/M/H

Soft Sponge of the Rubber creates a truly sensational touch and feel for the player. It gives crisp clear sound on striking the ball. The Trans Tension Sponge generate maximum tension and sponge power. Thickness: 2.3mm Max









DNA PRO

Code: 32176

Soft Sponge of the Rubber creates a truly sensational touch and feel for the player. It gives crisp clear sound on striking the ball. The Trans Tension Sponge generate maximum tension and sponge power. Thickness: 2.3mm Max


CONTROL	76/78/76
SPEED	160/156/160
SPIN	134
SPONGE	S/M/H
STYLE OFF	HITTING POWER HIGH













SPONGE HARDNESS DEGREES		
Soft	Medium	Hard
42.5°	47.5°	50°



BUILT-IN SPEED GLUE EFFECT To achieve maximum power



TRANSTENSION SPONGE Thanks to the TransTension Sponge and the exciting material, we have found a formula that will revolutionize and generate maximum tension and sponge power.



THE NCT TECH Rubber use our nano technology, and are designed for the era that begins with the ITTF speed glue ban.



LONG TRAJECTORY We focused on creating a longer trajectory on the ball, as a long trajectory in today's game is more and more important. The combination of spin, speed and long trajectory is unique on STIGA's rubbers; you have never felt this level of play before.



OCS: The brand new Oxygen Capsule System is our most advanced rubber technology, specially adapted to the new poly ball. The OCSsponge generates a very high amount of catapult effect thanks to the precisely measured size of the air pockets. This technology is developed to generate the maximum amount of speed and spin possible.



APS: The Advanced Pimple Structure with straight shaped pimples makes the rubber adapt to the ball like never before and provides an explosive and spinny rubber that is reliable in every situation.



TENSION RUBBER stands for a truly modern table tennis rubber characterized with a lots of feel, spin variations and intense dynamics.



POLY BALL Optimized Stiga Rubber

/TIGA®



OPTIMISER GLUE-25ML

Code: 320148

Water Based Speed Glue. With Attach Power Glue, you can easily remove the rubber from the blade without causing any damage to the wood



BAT COVER-TRAINING

Code: 32169

Bat Cover with pocket for 3 balls



Code: 32157

Bat Cover with pocket for 3 balls





BAT WALLET-HEXAGON

Code: 32158

Bat Wallet with Room for Two T. T. Bats




NET & POST - MATCH

CLIP

Code: 32144

Net & Post Set, Quick Install + Removal with Clip System







RUCKSACK-HEXAGON

Code: 32160

Padded shoulder straps and waterproof bottom, Size: 30 x 43 x 17 cms





KIT BAG-STAGE

Code: 32166

Highest quality with large main compartment, Size: 58 x 29 x 30 cms

012C. 00 X 23 X 00 011



Code: 32127-5mtr.


Edge Tape Roll 5mtr. for 10 Bats,





TAPE *Code : 40100*

Double Sided Tape Roll Length: 45mtr.



TT COURT - TRAINING

Code: 40002

COSCO Table-Tennis PVC Sports Flooring 4.5mm, made up of 4 layers: 1.5mm-thick high-durable anti-slip crystal-surfaced layer compound high-strength polyester mesh stable layer double-foaming buffer layer with high density.

Product Specification/Models

Width of single roll 1.8m | Length of roll 14m | Surface patterns crystal sand patterns | Thickness of wear-resisting layer 1.5mm | Total thickness 4.5mm | Total length & Width of floor 14m*7m | Total areas of floor 98sqm | Back of sports floor decorative pattern designed at the back with the function of adsorption and defence-moving | Color : Red Storage period 7years







CENTER COURT

Code: 32104

High Impact Cushion, Side Movement Support (SMS) Size: 4 | 5 | 6 | 7 | 8 | 9 | 10





LINER II

Code: 32173

Durable Flexible Fabric, Soft EVA inner sole for Max. Comfort. Size: 4|5|6|7|8|9|10







T.T. ROBOT-3050XL (Robot functions through Bluetooth®, 2-Wheeled Ball Thrower (w/Oscillation)

Code: 32178 MADE IN USA

2-Wheeled Ball Thrower (w/Oscillation) • Recycling Net System

- Personal Electronic Device Holder 144 40+ mm Robo-Balls
- Pong-Pal Rubber Tips Packet Plastic Clips Transformer Tell-A-Friend/Warranty Form Quick Start Guide

(*Huawei brand phones/tablets (Android OS) are not compatible with the Robo-Pong 3050XL due to the bluetooth chip that is used in these mobile devices.)

Product Specification

Accepted Ball Type : 40+
Ball Capacity : 120+
Balls Per Minute.(Max) : 1-120
Calibration Functions : Yes

Control Box : Newgy App/ Bluetooth

Dim.(LxWxH) Set-up : 60x31x18" Dim.(WxHxD) Folded : 14x33x11" Net Weight (lbs) : 18 Kgs. PC Mode : PC and App. Oscillator Positions : 100 : 100+ Pre-Programmed Drills Recycling Net : Yes Self Diagnostics : Yes



Control via Bluetooth from your phone or tablet!



124





Code: 32085

With the 2055 you can practice that backhand shot that will surprise your friends and put your opponents away at your next table tennis event or tournament.

64 pre-programmed drills, controls for speed, ball placement, ball frequency, full table span oscillation and the ability to choose your spin and head angle, the Robo-Pong 2055 is your anytime training and practice partner. Practice anything from a serve return to your game winning smash!

> Recycling Net Self Diagnostics

Ball Capacity

Control Box

PC Mode

Balls Per Minute.(Max)

Calibration Functions

Dim.(LxWxH) Set-up

Dim.(WxHxD) Folded

Oscillator Positions

Pre-Programmed Drills

Net Weight (lbs)



: 120+

: 1-170

: 60x31x18"

: 14x33x11"

: 23.9 Kgs.

: PC and App.

: Digital Control Box

: Yes

: 21

: 64

: Yes

: Yes



Code: 32084

The Robo-Pong 1055 is more accurate, more reliable and faster than its predecessor, 1050.

Digital accuracy for ball speed, placement and frequency. Selectable randomization controls create a more unpredictable robot. Comes with 64 pre-programmed drills for various playing levels. No assembly or tools required.



DIGITAL UPGRADE KIT

Code: 32086

This upgrade kit consists of a 2050 robot body, digital control box and bracket, universal power supply, shielded connector cable, and 2050 Owner's Manual. Remove your old 2040 robot body from the net system, slip in your new 2050 body, mount your new control box to the table and the old 2040 is now transformed into a 2050!





PONG MASTER

Provides multiple levels to provide all players a different skill level challenge. 3 sensors can be attached to the master unit for beginner to advanced training and play. Game Time: Adjustable from 1 minute to 10 minutes, Game Length: 21 point game or 11 point game, No. of Targets: 3; can use 1, 2, or all 3 targets at one time, Size Targets: 1 each 4", 6", and 10" round,

Target Score: Each target may be programmed to score 1, 2, or 3 points for each hit.

126

Cesce Cosco



YOGA MAT-POWER

Code: 28003

PVC Mat with Tetron Carrying Bag. Size (LxW): 173 x 61 cm Thicknes: 5 mm

YOGA MAT-STYLE

Code: 28074

Double Color PVC Mat with Tetron Carry Bag. Size (LxW): 183 x 61 cm Thicknes: 6 mm



128



YOGA MAT - AASAN

Code: 28085

Non Slip Non Toxic Micro Fibre with Carry Bag. Yoga Mat Provides Extra Comfort and Durability Size (LxW): 173×63 cm

Thicknes: 3 mm









GRIP BALL - RELAX

Code 28088

Thermoplastic Rubber Ball (TPR) Size: 4.5 x 6.5cm





MASSAGE BAR-COMFORT

Code 28907

Made from PP | TPR Material Length: 53 cms





ANKLE WEIGHT

Code: 28057 (½ kg.) 28058 (1 kg.) 28086 (2 kg.)

Made with Lycra and Iron Sand 2 pcs.



ANKLE SUPPORTER

Code: 28076

Neoprene & Polyester Support. Size: M, L





KNEE SUPPORTER

Code: 28077

Neoprene & Polyester Support. Size: M, L (Open Patella)



ELBOW SUPPORTER

Code: 28078

Neoprene & Polyester Support. Size: M, L



WRIST SUPPORTER

Code: 28079

Neoprene & Polyester Support. Size: M, L



Code: 28080

Neoprene & Polyester Support Size: M, L

RACKET BAG-TOUR

Code: 28001

Deluxe Racket Bag for 4 Rackets Made from Imported Material Size (LxW): 70 x 15 cm



RACKET BAG-SUPERSLAM

Code: 28098

Imported Twin Zip Racket Bag for 8 Rackets with Shoulder Strap Size (LxW): $70 \times 22 \text{ cm}$









GYM BAG-MAGNA

Code: 28011

GYM Bag Made from Imported Tetron Material Size (LxW): 45 x 23cm

132

BAGS | BALLS ACCESSORIES

BACK PACK-NOVA

Code: 28091

Imported Tetron Cloth Material, Light Weight for Easy Carry, 3 Utility Pockets, Water Bottle Holder Size (HxW) : 45×32 cm









BACK PACK-ECO

Code: 28909

Imported Tetron Cloth Material, Light Weight for Easy Carry, 2 Utility Pockets Size (HxW): 42 x 25 cm





BALL BAG-VICTORY

Code: 28907

Imported Tetron Cloth Material, Light Weight for Easy Carry 6 Balls. Size (LxW): 60 x 43 cm



HAND PUMP-EASY

Code: 28002

High Durability, Inflation Pump





HAND PUMP - FORCE

Code: 28029

Double Action for Quick Inflation





INFLATING NEEDLE-AIR

Code : 28049

Inflating Needle for all kind of Inflatable Balls

134

TRAINING ACCESSORIES





TONING TUBE - PRO

Code 28089

Toning Tube with Heavy Handle, Grey colour. Size: L-120 cm | Thicknes: 0.7 cm



TONING TUBE - HARD

Code: 28083

Hard Strength. Size: L-120 cm | Thicknes: 0.8 cm



TONING TUBE - MEDIUM

Code: 28055

Medium Strength. Size: L-120 cm | Thicknes: 0.7 cm



TONING TUBE - LIGHT

Code: 28082

Light Strength. Size: L-120 cm | Thicknes: 0.6 cm

CHEST EXPANDER-OCTANE

Code 28099

High Quality Rubber Hose Adjustable Tension Size: L-50 cm

SOFT EXPANDER-HARD

Code 28096

To Improve Upper Body Resistance and Strength. Tone and Sculpt Every Muscles Group.
Size: L-100 cm | Thicknes: 0.8 cm



SOFT EXPANDER-MEDIUM

Code 28095

To Improve Upper Body Resistance and Strength. Tone and Sculpt Every Muscle Goup.
Size: L-100 cm | Thicknes: 0.7 cm

SOFT EXPANDER-LIGHT

Code 28094

To Improve Upper Body Resistance and Strength. Tone and Sculpt Every Muscle Goup.

Size: L-100 cm | Thickness: 0.6 cm



TRAINING ACCESSORIES





TEMPO

Code : 28900

PVC Jump Rope with Contoured Handle and LCD Display Meter

Size: L-275cm



ELEVATE

Code: 28063

PVC Jump Rope with Contoured Handle Size: L-275cm



LEAP

Code: 28062

PVC Jump Rope with Transparent PVC Handle Size: L-275cm



Code: 28061

PVC Jump Rope with Double Foam Handle Size: L-275cm






SPEEDY

Code: 28060

Transparent Jump Rope in 4 Colour Size: L-275cm

ADD SOME TWISTS TO YOUR WORK OUT!



MAGNETIC TRIMMER-TWIST

Code: 28056

Durable Plastic Trimmer Dia. 28cm



TRAINING ACCESSORIES



BRACE Code: 28901

Hand Grip with Adjustable Tension (5~20) kg



GRASP

Code: 28064

Hand Grip with Double Colour Foam Handle



CLUTCH

Code: 28065

Hand Grip with Transparent PVC Handle



Code: 28069 100% Cotton

Size (LxW): 110 x 55 cm







AB ROLL-X

Product Code: 28097

For AB exercised and crunches



MARKER SET - 50

Code: 28042

Set of 50 Markers in Mix Colours with Stand



CONES

Code: **28044**, **28045**, **28046**, **28047**Training Cone, Fluorescent Colour.

Model: 6, 9, 12, 15 Height: 15, 23, 30, 38 cm



AGILITY LADDER -ACTIVE

Code: 28043

Durable Agility Training Ladder in 8 Mtr. Length

STEP UP TO A NEWER YOU!



EXERCISE WHEEL-INSPIRE

Code: 28902

Leather Gloves, Fourway cloth, Easy wear and pull off system, Wrist Support Strap.





TRAINING SET-MAX

Code: 28084

1 Pair Hand Grip, 1 Pc Soft Tube, 1 Pc Aerobic Band, 1 Jump Rope

142



Neoprene with Velcro Size (LxW): 100 x 20 cm



STAY HYDRATED TILL THE LAST REP.

Hydra is a squeezer/dripper designed to keep you hydrated, whether you're at the gym or on the track. Made with a flexible plastic body it comes with 4 attractive colour options.



SIPPER-HYDRA

Code: 28906

Food grade plastic, BPA Free, Leak Proof

DRA











144

ACCESSORY

HULK Code: 28903

Leather Gloves, Fourway cloth, Rubber Protection, Easy wear and pull off system, Wrist Support Strap. Size: M/L/XL



TUFF FIT

Code: 28070

Amara, Fourway cloth, Easy wear and pull off system, Wrist Support Strap. Size: M/L/XL



GELPRO

Code: 28071

Amara Silicone print, Fourway cloth, Referator Neoprene, Easy wear and pull off system, Wrist Support Strap. Size: M/L/XL



Code: 28072

Amara Silicone print, Velcro Strap. Size: M/L/XL



TRAINING ACCESSORIES

FLEX
Code 28093

Comfort Fit, Fluro Colour, Velcro Strap. Size: M/L/XL











STORM

Code: 28904

Noben Palm, Lycra Mesh, Velcro Support. Size: M/L/XL







STRETCH

Code: 28073

Lycra cloth, Silicone print, Easy pull off system, Velcro Strap.

Size: S/M







GYM BELT-STRONG

Code: 28090

GYM/Fitness Belt Made from Nylon Fabric, Adjustable size

MINI BAND-TRIO

Code: 28908

Mini Exercise band set includes 3 durable Latex Bands.

Strength: Light, Medium, Heavy





EXERCISE BAND - CORE

Code: 28092

Flexible, Ergonomic Handles and Durable TPE Band, Light Weight and Compact.

Size: L-50 cm



EXERCISE BAND

Code: 28066, 28067, 28052

T.P.E. Exercise Band, Strength: Light, Medium, Heavy, Thickness: 0.35mm, 0.5mm, 0.65mm

Size (LxW): 120 x 15 cm



PUSHUP BAR-PROFILE

Code: 28053

Plastic Pushup Bar for Advanced Users



CCESSORY

PUSHUP BAR-CONTOUR

Code: 28054

Plastic Pushup Bar with Double Colour Foam





PLYO BOX- PRO SOFT

Code : 28910 3 in 1 Plyometric Box Size (LxWxH): 75 x 60 x 50 cm

GYM BALL

Code: 28024, 28004, 28005, 28006, 28007, 28910

Description: Multi-Exercise Gymnastic Ball With Foot Pump Size: 55cm, 65cm, 75cm, 85cm, 95cm





THE JOY OF BOUNCING BACK



TRAINING ACCESSORIES



TRAMPOLINE-40

Code : 28009

Steel Construction, P.P. Jumping Mat, Easy Assembly

Size: 100 cm



TRAMPOLINE-48

Code: 28008

Steel Construction, P.P. Jumping Mat, Easy Assembly

Size: 120 cm



TRAMPOLINE-55

Code: 28005

Steel Construction, P.P. Jumping Mat with Safety Net, Easy Assembly

Size: 140 cm



TRAMPOLINE-72

Code: 28025

Steel Construction, P.P. Jumping Mat with Safety Net, Easy Assembly

Size: 180 cm



TRAMPOLINE-96

Code: 28026

Steel Construction, P.P. Jumping Mat with Safety Net, Easy Assembly

Size: 240 cm







Code: 28804

Tube Size: 50 x 50 x 1.5 mm, Adjustable

Dim.: 145x140x108 cms



CSB 10 MULTI FUNCTIONAL BENCH

Code: 28801

Tube Size: 50 x 50 x 1.5mm, Adjustable Dim.: 120 x 62 x 51-125 cms

CSB 58 FLAT BENCH

Code: 28802

Tube Size: 38 x 38 x 1.5 mm, Adjustable

Dim.: 112 x 38 x 40-115 cms





CSB 3 **ABDOMINAL BOARD**

Code: 28800

Tube Size: 50 x 50 x 1.5mm, Adjustable Dim.: 132 x 32 x 60-75 cms

152

153

KETTLE BELL DUMBBELL- VINYL



2 Kgs Code : 28207



3 Kgs Code : 28208



4 Kgs Code : 28200



6 Kgs Code : 28201



8 Kgs Code: 28202



10 Kgs Code : 28203



12 Kgs Code: 28204



16 Kgs Code : 28205



20 Kgs Code: 28209



KETTLE BELL RACK

Code: 28206

Imported Kettle Bell Dumbbell Stand, Made from 8cm x 4cm Elliptical Tubing for Superior Strength, 3 tier Sturdy construction Display Rack that hold 5 pieces of ergo Kettle Bell, Large 15cm x 10cm Foot Plates to spread the Weight of Fully Loaded Rack, Simple yet Sturdy Bolt together Design, Powder Coated in a durable Crinkle Black Finishing.

Material : Iron Size : 42 x 39 x 73 cm Colour : Black

HEXAGONAL-VINYL DUMBBELL











STRENGTH ACCESSORIES

ROUND DUMBBELL- RUBBER



2.5 Kgs



5 Kgs Code: 28401



7.5 Kgs Code: 28402



10 Kgs Code: 28403



12.5 Kgs



15 Kgs



20 Kgs



25 Kgs Code: 28407



30 Kgs Code: 28408



40 Kgs Code: 28409

HEXAGONAL DUMBBELL- RUBBER





Code : 28307

Weight

20 Kg. W

Code: 28306
Weight 15 Kg.

Code: 28305 Weight 12½ Kg. Code: 28304
Weight 10 Kg.

Code: 28303 Weight 7½ Kg. Code: 28301
Weight 2½ Kg.

154



STEEL ROD OLYMPIC

7 Ft. (28615), 6 Ft. (28616), 5 Ft. (28617), 4 Ft. (28618)



STEEL ROD REGULAR THREADED

7 Ft. (28600), 6 Ft. (28602), 5.8 Ft. (28604), 5 Ft. (28605), 4 Ft. (28607)



STEEL ROD REGULAR WITHOUT THREAD

7 Ft. (28601), 6 Ft. (28603), 5 Ft. (28606), 4 Ft. (28608)



WEIGHT PLATES-CLASSIC



Available in : $1\frac{1}{4}$ Kg. (28500), $2\frac{1}{2}$ Kg. (28501), 5 Kg. (28502), $7\frac{1}{2}$ Kg. (28503), 10 Kg. (28504), 15 Kg. (28505), 20 Kg. (28506), 25 Kg. (28507)



Available in : 1¼ Kg. (28700), 2½ Kg. (28701), 5 Kg. (28702), 7½ Kg. (28703), 10 Kg. (28704), 15 Kg. (28705), 20 Kg. (28706), 25 Kg. (28707)



DELHI | GURGAON | JALANDHAR | MUMBAI