



Maximum Retail

PRICELIST

WEF: November 01, 2021



CODE	MODEL	DESCRIPTION	PRICE (₹)
TREADMILL			
Commercial			
42100	CRUSADE-II	CURVED RUNNING TREADMILL WITH METER, NO MOTOR, 40x125mm LCD SCREEN, STRONG TRACKER RUBBER BELT FOR LONGER SERVICE LIFE, RUNNING BELT : 480x1600mm, DIM :(LxWxH) 2000x900x1550mm, MAX. USER WT. : 200 Kgs. NET WT : 160 Kgs.	247000
42149	C-5ST	18.5" TOUCH SCREEN, 4.0 HP (8.0 HP PEAK) AC MOTOR, SPEED: 1.0~20 KPH, AUTO INCLINE 0~20%, BELT :23x66"(580x1670mm), DISPLAYS :- S/D/T/C/P/H/, GERMAN RUNNING BELT,Mp3, USB, ANDROID SYSTEM, DIM :(LxWxH) 2330x940x1700mm, MAX. USER WT. : 200 Kgs. NET WT : 280 Kgs.	343000
42151	AC-18	5.0 HP (10 HP PEAK) AC MOTOR, SPEED: 1.0~22 KPH, BELT : 23x65"(580x1640mm),18 PRE-SET, 2 HRC, AUTO INCLINE 0~16%, 7 LED DISPLAYS :-S/D/T/C/P/B, AUTO LUBRICATION, ALUMINIUM SIDE STRIP, Mp3, USB, DIM : (LxWxH) 2200x920x1540mm, MAX. USER WT. : 200 Kgs. NET WT : 200 Kgs.	299000
42145	C-5S	4.0 HP (8.0 HP PEAK) AC MOTOR, SPEED: 1.0~20 KPH, BELT : 23x66"(580x1670mm), Mp3, USB, MOTOR INCLINE 0~20%, BACKLIT LED DISPLAYS :S/D/T/C/P/H/, GERMAN RUNNING BELT, DIM :(LxWxH) 2330x940x1700mm, MAX. USER WT. : 200 Kgs. NET WT : 280 Kgs.	264000
42105	CX-9	3.0 HP (6.0 HP PEAK) AC MOTOR, SPEED: 1.0~25 KPH, BELT: 24x65"(600x1650mm),USB, AUTO INCLINE 0-18%, 7" LCD BLUE BACKLIT DISPLAYS : S/D/T/C/P//H, ALUMINIUM ALLOY SIDE RAILS, DIM : (LxWxH) 2255x1000x1500mm, MAX. USER WT : 200 Kgs. NET WT : 225 Kgs.	246000
42148	HULK 5000	3.0 HP (6.0 HP PEAK) AC MOTOR, SPEED: 1.0~20 KPH, BELT : 21x61"(540x1560mm), AUTO INCLINE 0-20%, LED DISPLAY : S/D/T/C/P/H, TAIWAN INVERTER, EMERGENCY BRAKE, DIM : (LxWxH) 2400x910x1665mm, MAX. USER WT : 200 Kgs. NET WT : 216 Kgs.	224000





CODE	MODEL	DESCRIPTION	PRICE (₹)
TREADMILL			
Commercial			
42108	CX-6	<p>3.0 HP (6.0 HP PEAK) AC MOTOR, BELT: 21x61"(540x1560mm), SPEED 1.0~20 KPH, Mp3 & USB</p> <p>AUTO INCLINE 0~20%5 PRE-SET,1 USER, , 7" LCD BLUE BACKLIT DISPLAYS :S/D/T/C/P//H</p> <p>Dl:(LxWxH) 2210x930x1590mm, MAX. USER WT : 170 Kgs. NET WT : 145 Kgs.</p>	213000
42107	AC-1100	<p>3.0 HP (6.0 HP PEAK) AC MOTOR, SPEED: 1.0~20 KPH, BELT : 22x60"(560x1530mm),SPEAKER,</p> <p>AUTO INCLINE 0-20%, 5 RACETRACK LED DISPLAYS : S/D/T/C/P/I,12 PRE-SET,4 HRC,3 USER,USB,Mp3,</p> <p>ANTI-SKID SIDE RAIL AUGMENT THE BIG RUNNING AREA, HANDLE BAR WITH HAND PULSE SENSORS</p> <p>DIM :(LxWxH) 2200x830x1450mm, MAX.USER WT : 190 Kgs. NET WT : 144 Kgs.</p>	209000
Semi-Commercial			
42150	CX-5T	<p>TOUCH SCREEN, 2.0 HP (4.0 HP PEAK) AC MOTOR, SPEED 1.0~20.8 KPH, AUTO INCLINE 0~18%,</p> <p>BELT: 23x59" (580x1500mm), DISPLAYS : S/D/T/C/P/B, Mp3, USB, FOLDABLE</p> <p>DIM : (LxWxH) 1956x1022x1393mm, MAX. USER WT : 150 Kgs. NET WT : 140 Kgs.</p>	230000
42110	CX-5	<p>2.0 HP (4.0 HP PEAK) AC MOTOR, SPEED 1.0~20.8 KPH, BELT: 23x59" (580x1500mm), Mp3, USB,</p> <p>AUTO INCLINE 0~18%, 5 PRE-SET ,1 USER, 7 LED WINDOW DISPLAYS : S/D/T/C/P/B, FOLDABLE</p> <p>DIM : (LxWxH) 1956x1022x1393mm, MAX. USER WT : 150 Kgs. NET WT : 140 Kgs.</p>	184000
42111	AC-800	<p>2.5 HP(5.0 HP PEAK) AC MOTOR, SPEED :1~18 KPH, BELT :22 x 60"(560x1530mm) INCLINE : (-)3%~15%,</p> <p>(NEGATIVE INCLINE FOR DOWNHILL WALKING EFFECT), 7 LCD BLUE BACKLIT, FOLDABLE</p> <p>2 LAYER CUSHIONED RUNNING DECK, USB, SPEAKER, INCLINE BUTTON ON HANDLE BAR,</p> <p>DIM: LxWxH((Flat) 2080x900x1460mm, MAX. USER WT :150 Kgs. NET WT :108 Kgs.</p>	180000
42112	AC-700	<p>2.0 HP (4.0 HP PEAK) AC MOTOR, MOTOR INCLINE : 0~15%, BELT : 20x55"(510x1400mm) Mp3,USB,</p> <p>SPEED : 1.0~18 KPH, 5 LED READOUT,12 PRE-SET PROGRAMS, 4 HRC, 3 USER, FAN, FOLDABLE</p> <p>2 LAYER RUNNING DECK WITH CUSHION, HAND PULSE, QUICK SPEED/ INCLINE BUTTON</p> <p>DIM (LxWxH)2070x880x1335mm, MAX.USER WT 140 Kgs. NET WT : 85 Kgs.</p>	167000





CODE	MODEL	DESCRIPTION	PRICE (₹)
------	-------	-------------	-----------

TREADMILL

Home			
NON Motorised			
42133	CTM-510C	4-in-1 MULTI-FUNCTIONAL TREADMILL, BELT 15x47" ,MANUAL INCLINE, FOLDABLE, TWISTER, STEPPER & PUSHUP STAND, DIM (LxWxH):1770x790x1360mm, MAX.USER WT: 100 Kgs. NET WT: 38 Kgs.	26400
AC Series			
42113	CMTM-AC-600	1.5 HP(3.0 HP PEAK) AC MOTOR,AUTO INCLINE :0~15%,BELT: 19x54" , SPEED: 0~16 KPH ,USB,SPEAKER, FOLDABLE,7" BLUE LCD,DIM (LxWxH):1770x790x1360mm, MAX.USER WT: 120 Kgs. NET WT: 84 Kgs.	109800
42114	CMTM-AC-450	1.25 HP(2.5 HP PEAK) AC MOTOR,AUTO INCLINE :0~15%, BELT:18x52" , SPEED:1.0~16 KPH ,Mp3,SPEAKER USB, FOLDABLE,7"BLUE LCD,DIM(LxWxH):1702x777x1352mm, MAX.USER WT:110 Kgs ,NET WT:75 Kgs.	96600
42147	CMTM-AC-300	1.5 HP(3.0 HP PEAK) AC MOTOR,AUTO INCLINE :0~15%, BELT:18x55" , SPEED:1.0~18 KPH ,Mp3,SPEAKER USB, FOLDABLE, BLUE LCD,DIM(LxWxH):1730x720x1320mm, MAX.USER WT:120 Kgs ,NET WT:58 Kgs.	87800
42146	CMTM-AC-200	1.0 HP(2.0 HP PEAK) AC MOTOR,AUTO INCLINE :0~15%, BELT:17x48" , SPEED:1.0~14 KPH ,Mp3,SPEAKER FOLDABLE, BIG LCD DISPLAY,DIM(LxWxH):1550x710x1240mm, MAX.USER WT:100 Kgs ,NET WT:41 Kgs.	74600
RUN Series			
42144	RUN-3.0	2.0 HP (4.0 HP PEAK) DC MOTOR (LOW NOISE), AUTO INCLINE : 18%, BELT : 19x52" , SPEED : 0.8~18 KPH , BLUETOOTH FOR HK TREADMILL APP. ONLY, AUTO LUBRICATION SYSTEM ,HI-FIDELITY AUDIO,USB,Mp3, PROGRAMS P1~P109, DIM (LxWxH) :1850x820x1370mm, MAX. USER WT : 110 Kgs. NET WT. : 84 Kgs.	89900
42120	RUN-2.0	1.5 HP (3.0 HP PEAK) DC MOTOR, AUTO INCLINE : 18%, BELT : 17x49" , SPEED : 1.0~18 KPH , USB, Mp3, BLUETOOTH FOR HK TREADMILL APP. ONLY, SEMI-AUTO LUBRICATION , 6 LEVEL SHOCK ABSORPTION, LCD DISPLAY, DIM (LxWxH) :1830x770x1370mm, MAX. USER WT : 100 Kgs. NET WT. : 68 Kgs.,	72400
42143	RUN-1.5	1.25 HP (2.5 HP PEAK) DC MOTOR,NO INCLINE, BELT :17x48" , SPEED :1.0~18 KPH , USB, Mp3, BLUE LCD BLUETOOTH FOR HK TREADMILL APP.ONLY,SEMI-AUTO LUBRICATION ,4 LEVEL ADJ. GASBAG &SPRING SHOCK ABSORPTION, DIM (LxWxH) :1515x720x1251mm, MAX. USER WT : 90 Kgs. NET WT. : 46 Kgs.,	59200
42121	RUN-1.0	1.25 HP (2.5 HP PEAK) DC MOTOR, MANUAL INCLINE : 3%,5%, BELT : 16x49" , SPEED : 1.0~14 KPH , USB, Mp3, SEMI-AUTO LUBRICATION , SHOCK ABSORPTION, LCD DISPLAY, BLUETOOTH FOR HK TREADMILL APP. ONLY , DIM (LxWxH):1750x770x1330mm, MAX. USER WT.: 80 Kgs. NET WT.: 59 Kgs.	54800

CODE	MODEL	DESCRIPTION	PRICE (₹)
TREADMILL			
Home			
K Series			
42115	CMTM-K-55 	2.5 HP (5.0 HP PEAK) DC MOTOR, AUTO INCLINE: 0~15%, BELT: 20x55", SPEED :1.0~18 KPH , Mp3, USB, 1.7" LCD DISPLAY, 34 PROGRAMS,1 MANUAL,3 TARGET, 25 PRESET, 5 USER, 2 HRC, CUSHIONED DOUBLE DECK , FOLDABLE, DIM (LxWxH) :2100x880x1545mm, MAX.USER WT : 120 Kgs. NET WT : 84 Kgs.	98800
42116	CMTM-K-44 	2.0 HP (4.0 HP PEAK) DC MOTOR, AUTO INCLINE: 0~ 15%, BELT:18x52", SPEED : 1.0~16 KPH , Mp3, USB, 1.7" LCD DISPLAY, 25 PROGRAMS,1 MANUAL,3 TARGET, 20 PRESET, 1 BODY FAT, CUSHIONED DOUBLE DECK , FOLDABLE, DIM (LxWxH) :1820x760x1585mm, MAX.USER WT : 110 Kgs. NET WT : 71 Kgs.	89900
42117	CMTM-K-33	1.75 HP(3.5 HP PEAK) DC MOTOR, AUTO INCLINE: 0~15%, BELT:16x49", SPEED : 1.0~13 KPH , Mp3,USB, 1.5" LCD DISPLAY, 19 PROGRAMS,1 MANUAL,3 TARGET, 3 USER, CUSHIONED DOUBLE DECK , FOLDABLE, DIM (LxWxH) :1700x735x1540mm, MAX.USER WT : 100 Kgs. NET WT : 63 Kgs.	72400
42118	CMTM-K-22	1.75 HP(3.5 HP PEAK) DC MOTOR, 3 LEVEL MANUAL INCLINE, BELT:17x50", SPEED : 1.0~13 KPH , Mp3, USB,1.5" LCD DISPLAY, 17 PROGRAMS,1 MANUAL,3 TARGET, 12 PRESET, 1 BODY FAT, CUSHIONED DOUBLE DECK , FOLDABLE, DIM (LxWxH) :1650x730x1360mm, MAX.USER WT : 100 Kgs. NET WT : 50 Kgs.	59200
42119	CMTM-K-11	1.25 HP (2.5 HP PEAK) DC MOTOR, 3 LEVEL MANUAL INCLINE,BELT : 16x48",SPEED: 1.0~10 KPH , 1.5" LCD, Mp3, 10 PROGRAMS,1 MANUAL,3 TARGET, 6 PRESET PROGRAMS, FOLDABLE DIM (LxWxH) :1600 x 720 x 1260mm, MAX.USER WT : 80 Kgs. NET WT : 46 Kgs.	52600
JKEXER Series			
49011	XTRA-875 Taiwan	3.0 HP (6.0 HP PEAK)DC MOTOR, SPEED : 0~18 KPH, BELT: 20x56" , NEW ASA* SHOCK ABSORPTION, AUTO INCLINE :0~12% , 2 DOT MATRIX, 150x82mm BACKLIT LCD DISPLAYS ; S/D/T/C/P//R*/B*/M FOLDABLE , DIM: LxWxH : 1900x830x1500mm, MAX. USER WT: 140 Kgs. NET WT: 90 Kgs.	132000
49009	EPIC-823 Taiwan	2.7 HP (5.0 HP PEAK)DC MOTOR, SPEED : 0.8~18 KPH, BELT: 20x55" , NEW ASA* SHOCK ABSORPTION, AUTO INCLINE :0~12% , DOT MATRIX, 105x57mm BACKLIT LCD DISPLAYS ; S/D/T/C/P//P* FOLDABLE , DIM: LxWxH : 1770x850x1400mm, MAX. USER WT: 130 Kgs. NET WT: 79 Kgs.	109800



CODE	MODEL	DESCRIPTION	PRICE (₹)
ELLIPTICAL CROSSTRAINER			
Commercial			
42626	RE-500 	 SELF GENERATOR: LED DISPLAYS : T/R*/D/P/M/C, 7 WINDOWS + 1 DOT MATRIX, 533mm STRIDE , 20 LEVEL RESISTANCE, DIM: (LxWxH) 2179x742x1610mm, MAX. USER WT: 160 Kgs. ,NET WT: 119 Kgs.	286000
42601	E-70 Taiwan	SELF GENERATOR: LED DISPLAYS : T/R*/D/P/M/CALORIES, 500mm STRIDE , 14.5 Kgs. FLYWHEEL , 4 HRC,1 MANUAL, DIM: (LxWxH) 2060x795x1760mm, MAX. USER WT: 200 Kgs. ,NET WT: 104 Kgs.	242000
42603	CE-80	SELF GENERATOR: 14.5 Kgs. FLYWHEEL , LED DISPLAYS:T/R*/D/P/M/C,500mm STRIDE , 4 HRC, 4 PRESET,1 MANUAL,DIM :(LxWxH) 2200x730x1560mm, MAX. USER WT: 200 Kgs. ,NET WT :130 Kgs.	202000
42604	ET-1000 AT* Taiwan	FRICITION-FREE ELECTROMAGNETIC RESISTANCE WITH ADAPTOR, BELT-DRIVE, 500mm STRIDE DUAL ACTION UPPER & LOWER BODY, DIM: (LxWxH) 1700x690x1720mm, MAX. USER WT : 130 Kgs. , NET WT :78 Kgs. GENERATOR : Ø 230mm, ONE WAY PULLEY : Ø300mm, CRANK : 3 PCS.	142000
Semi-Commercial			
42627	CNB-9.OES AT* Taiwan	 DELUXE ELLIPTICAL, 260mm FLYWHEEL 2 WAY, STRIDE LENGTH: 450mm , 16 LEVEL TENSION, AUTO TENSION V-BELT, 3 PC CRANK,25 PROGRAMS WITH, HRC, 4 USER, 1 BODYFAT METER DISPLAYS: T/S/D/P/C/W/R/R* DIM : (LxWxH) 1620x620x1590mm, MAX. USER WT.: 135 Kgs. , NET WT : 76 Kgs.	132000
49001	FITLUX 5200 Taiwan	DELUXE ELLIPTICAL, 270mm FLYWHEEL, STRIDE LENGTH: 483mm , 16 MOTORISED RESISTANCE LEVEL,16 PROGRAMS WITH 3 HRC, 6 PRE-SET, 4 USER, 1 BODYFAT METER DISPLAYS: T/S/D/P/C/W/R/R* DIM : (LxWxH) 2000x640x1660mm, MAX. USER WT.: 140 Kgs. , NET WT : 73 Kgs.	127400
42613	FURY-58	ORBIT ELLIPTICAL,5 LEVEL MANUAL INCLINE, TOUCH SCREEN LCD DISPLAYS :T/S/D/C/R*/S*/P STRIDE: 500mm , DIM: (LxWxH) 1800x550x850mm, MAX.USER WT :150 Kgs. , NET WT :86 Kgs.	121000
42624	170EF 	ELLIPTICAL WITH FLYWHEEL, STRIDE LENGTH: 500mm , 12 PROGRAMS, HRC, USER PROGRAMS METER DISPLAYS: T/S/D/P/C/W/R, Mp3 DIM : (LxWxH) 2000x630x1810mm, MAX. USER WT.: 130 Kgs. , NET WT : 62 Kgs.	107600
42615	EKX-6R	DELUXE ELLIPTICAL BIKE WITH 292mm FLYWHEEL, STRIDE LENGTH: 460mm , 12 PROGRAMS WITH 4 HR, 24 MOTORISED RESISTANCE LEVEL,METER DISPLAYS: T/S/D/P/C DIM : (LxWxH) 1707x686x1625mm, MAX. USER WT.: 120 Kgs. , NET WT : 57 Kgs.	87800

CODE	MODEL	DESCRIPTION	PRICE (₹)
ELLIPTICAL CROSSTRAINER			
Home			
42622	170ER 	6 Kgs. FLYWHEEL, STRIDE : 500mm, 12 PROGRAMS, DIM : (LxWxH) 2000x630x1810mm, MAX. USER WT.: 120 Kgs., NET WT : 59 Kgs.	72400
42625	CET-WAVE-850ES 	2 WAY 8 Kgs.FLYWHEEL, SEAT, MOTORISED RESISTANCE, DIM : (LxWxH) 1560x720x1690mm, NET WT. : 54 Kgs.	56900
49002	CET-NUWAVE-2136 Taiwan	2 WAY 8 Kgs.FLYWHEEL, DIM : (LxWxH) 1420x780x1540mm, NET WT. : 43 Kgs.	54800
42607	CET-WAVE-850E	2 WAY 8 Kgs.FLYWHEEL, MOTORISED RESISTANCE, DIM : (LxWxH) 1560x720x1690mm, NET WT. : 51 Kgs.	54800
42621	CET-E8M	2 WAY 4 Kgs.FLYWHEEL,16 LEVEL MOTORISED RESISTANCE,STRIDE : 330mm,DIM :(LxWxH) 1418x646x1660mm,NET WT.: 38 Kgs.	41600
42620	CET-E8S	2 WAY 4 Kgs.FLYWHEEL AND SEAT, MANUAL RESISTANCE,STRIDE : 330mm,DIM :(LxWxH) 1418x646x1660mm,NET WT. : 42 Kgs.	37200
42623	CET-240ES	2 WAY 4 Kgs.FLYWHEEL AND SEAT, DIM : (LxWxH) 1210x390x1570mm, NET WT. : 30 Kgs.	32800
42618	CET-85E	2 WAY 3 Kgs.FLYWHEEL,DIM : (LxWxH) 1110x370x1550mm, NET WT. : 34 Kgs.	30600
42610	CET-80E	2 WAY 5 Kgs. FLYWHEEL,MANUAL RESISTANCE WITH SEAT, DIM : (LxWxH) 1150x720x1580mm, NET WT. : 30.5 Kgs.	28400
42619	CET-69ES	2 WAY 5 Kgs. FLYWHEEL AND SEAT, STRIDE : 330mm, DIM : (LxWxH) 1230x635x1550mm,NET WT. : 30 Kgs.	26200
42617	CET-52ES	2 WAY 5 Kgs. FLYWHEEL AND SEAT, DIM : (LxWxH) 1070x600x1540mm, NET WT. : 29 Kgs.	23900
UPRIGHT BIKE			
Commercial			
42300	RU-500  	SELF GENERATOR; 7 WINDOWS + DOT MATRIX, 350W RESISTANCE BRAKE POWER, 20 RESISTANCE LEVEL, DIM : (LxWxH) 1090x660x1490mm, MAX. USER WT.: 160 Kgs., NET WEIGHT : 63 Kgs.	165000
42302	C-1000U AT* Taiwan	ELECTROMAGNETIC RESISTANCE WITH ADAPTOR, CRANK : 3PCS, ONE WAY PULLEY : Ø300mm, GENERATOR : Ø230mm, DIM: (LxWxH) 1200x620x1500mm, MAX. USER WT : 150 Kgs., NET WT : 52 Kgs.,	107600
Semi-Commercial			
42330	CNB6.0U AT* Taiwan	MAGNETIC RESISTANCE, 260mm FLYWHEEL,16 LEVEL AUTO ADJ.TENSION,10 PRE-SET,2 HEART RATE, 3 PCS.CRANK, BELT-DRIVE, DIM :(LxWxH) 1220x540x1470mm, MAX. USER WT : 150 Kgs. NET WT : 46 Kgs.	83400
42341	170U	MAGNETIC RESISTANCE,6 Kgs.FLYWHEEL,131x67mm DUAL COLOUR LCD,3 PCS.CRANK,12 PRESET,HRC Mp3,USER PROGRAMS,BELT-DRIVEN,DIM:(LxWxH)1120x620x1400mm,MAX.USER WT: 130 Kgs.NET WT: 41 Kgs.	59200

*AT = AUTO TENSION

CODE	MODEL	DESCRIPTION	PRICE (₹)
UPRIGHT BIKE			
Home			
49004	CEB-JK-7009 Taiwan	UPRIGHT, 8 LEVEL MANUAL RESISTANCE, 6 Kgs. FLYWHEEL DIM : (LxWxH) 1480x535x990mm, MAX. USER WT : 120 Kgs , NET WT. : 32 Kgs.	43800
42338	CEB-U8M	UPRIGHT, 1 WAY 4 Kgs.FLYWHEEL,16 LEVEL MAGNETIC RESISTANCE WITH ELECTRONIC CONTROL DIM : (LxWxH) 970x600x1380mm, MAX. USER WT : 120 Kgs , NET WT. : 27 Kgs.	37200
42319	CEB-600U	UPRIGHT, 1 WAY 250mm FLYWHEEL, MANUAL 8 LEVEL MAGNETIC RESISTANCE DIM : (LxWxH) 1090x640x1360mm, MAX. USER WT : 120 Kgs , NET WT. : 32 Kgs.	32800
42332	CEB-90U	UPRIGHT, 1 WAY 5 Kgs.FLYWHEEL, 8 LEVEL MAGNETIC RESISTANCE DIM : (LxWxH) 1040x650x1870mm, MAX. USER WT : 110 Kgs , NET WT. : 28 Kgs.	27500
42335	CEB-65U	UPRIGHT, 2 WAY 3 Kgs.FLYWHEEL, 8 LEVEL MAGNETIC RESISTANCE DIM : (LxWxH) 910x490x1260mm, MAX. USER WT : 110 Kgs , NET WT. : 24 Kgs.	23000
42343	CEB-240U	UPRIGHT, 1 WAY 4 Kgs.FLYWHEEL, 8 LEVEL MAGNETIC RESISTANCE DIM : (LxWxH) 930x545x1250mm, MAX. USER WT : 110 Kgs , NET WT. : 21 Kgs.	21500
42321	CEB-604A	AIR BIKE, 500mm FLYWHEEL,MOVABLE HANDLE BAR, DISPLAYS:T/S/D/C, DIM : (LxWxH) 1050x540x1160mm, MAX. USER WT : 100 Kgs , NET WT. : 18 Kgs.	21300
42322	CEB-60U	UPRIGHT, 2 WAY 6 Kgs. FLYWHEEL, MANUAL 8 LEVEL MAGNETIC RESISTANCE,24 PROGRAMS, DIM : (LxWxH) 1370x510x1120mm, MAX. USER WT : 100 Kgs , NET WT. : 25 Kgs.	20600
42337	CEB-68U	UPRIGHT, 1 WAY 3 Kgs.FLYWHEEL, MANUAL 8 LEVEL MAGNETIC RESISTANCE DIM : (LxWxH) 797x550x1288mm, MAX. USER WT : 100 Kgs , NET WT. : 19 Kgs.	19300
42334	CEB-50U	UPRIGHT, 2 WAY 4 Kgs.FLYWHEEL, 8 LEVEL MAGNETIC RESISTANCE DIM : (LxWxH) 800x510x1240mm, MAX. USER WT : 100 Kgs , NET WT. : 19 Kgs.	18200
42324	CEB-609C	ELLIPTICAL, 470mm FLYWHEEL, MOVABLE HANDLE, DISPLAYS :T/S/D/C, DIM : (LxWxH) 940x580x1550mm, MAX. USER WT : 100 Kgs , NET WT. : 25 Kgs.	16000
42325	CEB-610B	FAN BIKE, 470mm FLYWHEEL, MOVABLE HANDLE, DISPLAYS :T/S/D/C/ DIM : (LxWxH) 1070x565x1150mm, MAX. USER WT : 100 Kgs , NET WT. : 17 Kgs.	15800

CODE	MODEL	DESCRIPTION	PRICE (₹)
RECUMBENT BIKE			
Commercial			
42306	RR-500 	SELF GENERATOR ; 7 WINDOWS + DOT MATRIX, 350W RESISTANCE, 20 RESISTANCE LEVEL, 6 PRE SET 2 CUSTOM PROGRAMS, DIM : (LxWxH) 1640x750x1240mm, MAX. USER WT.: 160 Kgs. NET W : 79 Kgs.	187000
42308	C-1000R AT* Taiwan	FRICTION-FREE MAGNETIC RESISTANCE , WITH ADAPTOR,GENERATOR : Ø 230mm, ONE WAY PULLEY : Ø300mm, CRANK : 3 PCS, DIM :(LxWxH) 1450x620x1280mm, MAX.USER WT.: 150 Kgs. , NET WT.: 47 Kgs.	122900
Semi-Commercial			
42331	CNB7.0R AT* Taiwan	FRICTION-FREE MAGNETIC RESISTANCE , 16 LEVEL MOTORISED ADJUSTABLE TENSION, HAND GRIP PULSE, LARGE COLOUR LCD WITH 10 PRE SET, 2 HEART RATE PROGRAMS, 3 PCS CRANK, 260mm FLYWHEEL, BELT-DRIVE SYSTEM , DIM (LxWxH):1570x610x1240mm, MAX. USER WT : 150 Kgs. NET WT : 57 Kgs.	105400
42342	170-R	FRICTION-FREE MAGNETIC RESISTANCE , 16 LEVEL MOTORISED ADJUSTABLE TENSION, HAND GRIP PULSE, DUAL COLOUR LCD WITH 12 PROGRAMS, HRC, USER PROGRAM, 3 PCS CRANK, 6 Kgs. FLYWHEEL, BELT-DRIVE SYSTEM , DIM (LxWxH):1400x660x1640mm, MAX. USER WT : 130 Kgs. NET WT : 50 Kgs.	92200
Home			
42339	CEB-R8M	SLIDING SEAT , 16 LEVEL MAGNETIC RESISTANCE, ELECTRONIC CONTROL, 4 Kgs. FLYWHEEL, HAND PULSE, DIM (LxWxH):1500x600x1160mm, MAX.USER WT.: 120 Kgs. , NET WT. : 40 Kgs.	43800
42336	CEB-75R	SLIDING SEAT , 8 LEVEL RESISTANCE, MAGNETIC 2 WAY 3 Kgs. FLYWHEEL, METER, HAND PULSE, DIM (LxWxH):1450x660x1130mm, MAX.USER WT.: 120 Kgs. , NET WT. : 32 Kgs.	32800
42318	CEB-70R	SLIDING SEAT ,8 LEVEL RESISTANCE,2 WAY 5 Kgs. FLYWHEEL, METER, HAND PULSE, DIM (LxWxH):1300x640x1190mm, MAX.USER WT.: 110 Kgs. , NET WT. : 35 Kgs.	30600
42344	CEB-240R	MANUAL , 8 LEVEL RESISTANCE,2 WAY 4 Kgs. FLYWHEEL, METER, HAND PULSE, DIM (LxWxH):1420x650x980mm, MAX.USER WT.: 100 Kgs. , NET WT. : 25 Kgs.	28400
AIR BIKE			
Commercial			
42305	CEB-10	FAN FLYWHEEL WITH METER, DISPLAY: S/T/D/C, DIPPING HANDLE, ALLOY SEAT POST, ALUMINIUM PEDAL, DUAL DRIVE , DIM :(LxWxH) 1400x610x1260mm, MAX. USER WT.: 150 Kgs. , NET WT. : 53 Kgs.	87800
STAIR CLIMBER			
Commercial			
42299	CTZ-2040B	1.5 HP AC MOTOR , STEP AREA : 1456cm ² , TIME DISPLAY : 0:00~99 : 59, HEIGHT DISPLAY : 0 : 00~999 : 9M, STEP NO., DISPLAY : 0~9999, HEAT DISPLAY : 0~999 (KCAL), LEVEL DISPLAY : 0~15, RUNNING SPEED : 24-164 STEPS/MINUTE, DIM: (LxWxH) 1450x880x2140mm, MAX. USER WT : 200 Kgs. ,NET WT : 205 Kgs.	373000

CODE	MODEL	DESCRIPTION	PRICE (₹)
GROUP CYCLING BIKE			
Commercial			
50013	POWER-880 DEGREE	 BALANCED 22 Kgs. CNC FLYWHEEL, 1 PIECE BELT DRIVEN BIKE, HIGH STRENGTH AXLE & FOOT PEDAL PRESS TYPE BRAKE, DIM : (LxWxH) 1050x600x1150mm, MAX. USER WT : 180 Kgs , NET WT : 57 Kgs.	113500
49000	FITLUX-3927 Taiwan	BALANCED 19 Kgs. 450mm FLYWHEEL DIE CASTING, ADJUSTABLE FORWARD AFT. SEAT, BELT DRIVEN , CRO-MOLY AXLE, DIM : (LxWxH) 1350x540x1250mm, MAX. USER WT : 180 Kgs , NET WT : 54 Kgs.	81200
50014	GYRO-XB06 DEGREE	BALANCED 16 Kgs. FLYWHEEL, 8 LEVEL MAGNETIC CONTROL, BELT DRIVEN , DIM : (LxWxH) 1225x630x1170mm, MAX. USER WT : 160 Kgs , NET WT : 70 Kgs.	74600
42312	REVO-220	BALANCED 24 Kgs. FLYWHEEL, HIGH GRADE PEDAL, ADJUSTABLE FORWARD AFT. SEAT, RUBBER BELT DRIVEN , DIM : (LxWxH) 1250x600x1150mm, MAX. USER WT : 160 Kgs , NET WT : 88 Kgs.	68000
42313	S-90	CNC 22 Kgs. FLYWHEEL, ONE-PIECE BELT DRIVEN , PRESS TYPE BRAKE, SILENT RIDE, HIGH STRENGTH AXLE & FOOT PEDAL, DIM : (LxWxH) 1050x600x1150mm, MAX. USER WT : 150 Kgs , NET WT : 70 Kgs.	54800
Home			
42314	CGC-60	18 Kgs. (500mm) FLYWHEEL, ARM REST PAD, BICYCLE BEND HANDLE, BELT DRIVEN , DIM : (LxWxH) 1370x510x1120mm, MAX. USER WT : 120 Kgs , NET WT. : 41 Kgs.	39400
42315	CGC-50	15 Kgs. (470mm) FLYWHEEL, ARM REST PAD, BELT DRIVEN , DIM : (LxWxH)1270x510x1120mm, MAX. USER WT : 110 Kgs , NET WT. : 35 Kgs.	34900
42340	S8	6 Kgs. FLYWHEEL, MANUAL 8 LEVEL RESISTANCE, BELT DRIVEN DIM : (LxWxH) 1130x436x1160mm, MAX. USER WT : 120 Kgs , NET WT. : 31 Kgs.	31200
ROWING MACHINE			
Commercial			
42800	RX 100 Taiwan	24 LEVEL RESISTANCE, 43 PROGRAMS; 25 PRE-SET,4 HRC,1 WATT,5 USER,ERGOMETER, EMS GENERATOR LCD DISPLAYS:R**/R/T/D/S/C/B/B*/W/N,DIM:(LxWxH) 2370x500x910mm, MAX.USER WT: 170 Kgs. ,NET WT: 43.6 Kgs.	162500
Semi-Commercial			
42801	RX 99 Taiwan	16 LEVEL RESISTANCE,POLAR RECEIVER,16 PROGRAMS; 12 PRE-SET,4 HRC+1 USER,BLUE BACKLIT LCD DISPLAYS: R**/R/T/D/S/C/N,9V 1A ADAPTOR,DIM:(LxWxH) 2140x600x740mm, MAX.USER WT: 130 Kgs. ,NET WT: 36 Kgs.	100900
Home			
45111	CLDE-10 	AIR ROWER,MULTI-FUNCTION DISPLAY INSTRUMENT DISPLAYS: T/D/W/C/N, DIM:(LxWxH) 2400x620x1130mm, MAX.USER WT: 130 Kgs. ,NET WT: 35 Kgs.	66700

CODE	MODEL	DESCRIPTION	PRICE (₹)
MULTI STATION GYM			
Commercial			
44750	FITLUX-9950 D Taiwan	MAIN BODY+VKR+SIT-UP+LEG PRESS*, 2 WT. STACKS AT TOTAL 420LBS , NO CABLE CHANGE, PEC-DEC, HIGH PULLEY, MID/ LOW PULLEYS, BUTTERFLY, SHORT/ LONG BAR, ANKLE/ TRICEP AB STRAP,STIRRUP HANDLE, WEIGHT COVERS,, DIM (LxWxH): 2100x1700x2200mm, MAX. USER WT.: 150 Kgs. , NET WT.: 355 Kgs.	285000
44751	CG-600	2 SET 155LBS DEAD STEEL WT., ϕ 8mm COMMERCIAL GRADE AIRCRAFT CABLES, 6 STATIONS ,65x65x2.5mm & 2.0mmTUBE, ϕ 104mm PULLEY, POWER TOWER, TRICEP EXT, LEG PRESS, PUSH-UP,KNEE RAISE, DIP ARM, CHIN UP, SIT UP, DUMBBELL, DIM (LxWxH): 3320x2440x2300mm, MAX. USER WT.: 150 Kgs. NET WT : 356 Kgs.	239000
44753	CHG-405	MAIN BODY+VKR+SIT-UP+LEG PRESS*, 4 WT. STACKS, 600LBS TOTAL, PEC-DEC, HIGH PULLEY, BUTTERFLY, MID/ LOW PULLEYS, DIM (LxWxH): 2100x2500x2200mm, MAX. USER WT: 140 Kgs. NET WT: 416 Kgs.	160000
44752	CG-125	2 SET 145LBS DEAD STEEL WT., 2000LBS TENSILE STRENGTH AIRCRAFT CABLES, 5 STATIONS , 70x50mm STEEL TUBE, POWER STATION, CHIN UP & FOLDABLE SIT UP BENCH,FRONT PRESS & BUTTERFLY, LEG PRESS, DIM (LxWxH): 3140x2440x2300mm, MAX. USER WT.: 150 Kgs. NET WT : 270 Kgs.	153000
MULTI GYM			
Home			
42810	CHG-03	MULTI-EXERCISES, ADJ.SEAT (210 LBS. PLASTIC WT.STACK) DIM.(LxWxH) : 2090x2640x2220mm, DIM (LxWxH) : 2090x2640x2220mm, MAX.USER WT.: 150 Kgs. , NET WT. : 197 Kgs.	78900
49007	CHG-9985 Taiwan	MULTI-EXERCISES, ADJ.SEAT (210 LBS. PLASTIC WT.STACK) DIM.(LxWxH) : 1630x1195x2070mm DIM (LxWxH) : 1630x1195x2070mm, MAX.USER WT.: 150 Kgs. , NET WT. : 166 Kgs.	72400
42809	CHG-160R	MULTI-EXERCISES, ADJ.SEAT (150 LBS. PLASTIC WT.STACK) DIM.(LxWxH) : 1300x1160x2060mm, DIM (LxWxH) : 1490x1160x2105mm, MAX.USER WT.: 140 Kgs. , NET WT. : 117 Kgs.	41600
42809	CHG-150R 	FITNESS HOME GYM FOR MULTI-EXERCISES WITH ADJUSTABLE SEAT (150 LBS.) ROUND PIPE, DIM (LxWxH) : 1300x1170x2080mm, MAX.USER WT.: 140 Kgs. , NET WT. : 111 Kgs.	41600

CODE	MODEL	DESCRIPTION	PRICE (₹)
------	-------	-------------	-----------

in impulse

WEIGHT MACHINES

FE Series

43001	CFE-9702	LAT PULL DOWN	W/235 LBS, DIM.(LxWxH) : 1305x1230x2010mm NET WT : 177 Kgs.	349000
43002	CFE-9703	ARM CURL	W/235 LBS, DIM.(LxWxH) : 1150x1567x1490mm NET WT : 169 Kgs.	349000
43003	CFE-9705	LEG EXTENSION	W/235 LBS, DIM.(LxWxH) : 1300x1240x1490mm NET WT : 169 Kgs.	349000
43004	CFE-9706	SEATED LEG CURL	W/235 LBS, DIM.(LxWxH) : 1242x1541x1490mm NET WT : 183 Kgs.	349000
43005	CFE-9710	LEG PRESS	W/235 LBS, DIM.(LxWxH) : 1785x1350x1490mm NET WT : 279 Kgs.	394000
43006	CFE-9712	SHOULDER PRESS	W/235 LBS, DIM.(LxWxH) : 1385x1210x1490mm NET WT : 141 Kgs.	349000
43007	CFE-9715	PEC FLY REAR DELT	W/235 LBS, DIM.(LxWxH) : 1296x1758x1490mm NET WT : 160 Kgs.	349000
43008	CFE-9719	ROW	W/235 LBS, DIM.(LxWxH) : 2000x1130x1490mm NET WT : 174 Kgs.	349000
43009	CFE-9720	WT.ASSISTSTED CHIN/DIP COMBO	W/235 LBS, DIM.(LxWxH) : 1750x1380x2200mm NET WT : 243 Kgs.	372000

NON WEIGHT MACHINES

IE Series

43010	CIE-7001B	SMITH MACHINE	DIM.(LxWxH) : 2241x1326x2370mm NET WT : 178 Kgs.	274000
43011	CIE-7003C	AB CRUNCH	DIM.(LxWxH) : 1745x936x997mm NET WT : 57 Kgs.	76800
43012	CIE-7004B	STRETCH	DIM.(LxWxH) : 1274x552x997mm NET WT : 35 Kgs.	45900
43013	CIE-7006C	LEG PRESS HACK SQUAT	DIM.(LxWxH) : 2253x975x1475mm NET WT : 166 Kgs.	217000
43014	CIE-7007B	MULTI-HYPER EXTENSION	DIM.(LxWxH) : 1312x749x914mm NET WT : 43 Kgs.	63600
43015	CIE-7009B	FLAT BENCH	DIM.(LxWxH) : 1200x781x1515mm NET WT : 53 Kgs.	34900
43016	CIE-7011C	MULTI-ADJUSTABLE BENCH	DIM.(LxWxH) : 1212x750x465mm NET WT : 40 Kgs.	54800
43017	CIE-7014B	FLAT BENCH PRESS	DIM.(LxWxH) : 1657x1658x1373mm NET WT : 82 Kgs.	89900
43018	CIE-7015C	INCLINE BENCH PRESS	DIM.(LxWxH) : 1632x1658x1373mm NET WT : 106 Kgs.	118600
43019	CIE-7017B	WEIGHT PLATE TREE	DIM.(LxWxH) : 950x610x1220mm NET WT : 26 Kgs	41600

CROSSFIT TRAINER

50759	XTM-6404	3.0mm THICK STEEL TUBE, CIRCUIT TRAINING, FUNCTIONAL TRAINING, BOXING TRAINING	NET WT : 850 Kgs.	760000
	DEGREE	WT.STACKS : 2x100 Kgs., DIM(LxWxH): 4200x3200x2800mm, NET WT:850 Kgs.		
44755	CC-360 XL	8 GATES,60x120mm STEEL TUBE, 3.0mm THICK, INCLUDES: KETTLE BELL, OLYMPIC BAR, SAND BAG, MEDICINE BALL,PHYSICAL ROPE, TRAINING ROPE, DIM(LxWxH): 5559x4415x2578mm, NET WT:1760 Kgs.		695000
44756	CC-360 XS	4 GATES,60x120mm STEEL TUBE, 3.0mm THICK, INCLUDES: KETTLE BELL, DYNAMIC ROPE,, TRAINING ROPE DIM(LxWxH) : 3053x3094x2422mm, NET WT : 650 Kgs.		352000

FE Series : Frame : 72.8x141.7mm | Thickness of Steel : 3.0mm | Pulley : 114mm dia. | Cable : 5.0mm | Wt.Plate - Material : 19mm Full Steel, Each Plate wt.10 lbs, Total Plate Wt. : 235 lbs

IE Series : Frame : 100x50mm(Racketrack Tubing) | Thickness of Steel : 2.5-2.75mm | Seat : 60mm thickness | Cable : 5.0mm LOOS USA | Wt.Plate - Material : Cast Iron, Each Plate Wt.15


CODE	MODEL	DESCRIPTION	PRICE (₹)
DUAL CABLE FUNCTIONAL TRAINER CABLE CROSSOVER			
53251	XPC-0950A DEGREE	FUNCTIONAL MACHINE (CABLE CROSS+SMITH) W/68x2 Kgs., DIM.(LxWxH) : 2351x1367x2159mm NET WT : 260 Kgs.	431000
44514	CE-1801	TRANSFORM XT W/68x2 Kgs., DIM.(LxWxH) : 1840x1600x2410mm NET WT : 350 Kgs.	418000
44034	CTB-89	FUNCTIONAL TRAINER + SQUAT RACK + SMITH MACHINE (3-in-1) W/100x2 Kgs., DIM.(LxWxH) : 2380x1940x2300mm NET WT : 480 Kgs.	319000
44263	CSW-18	FUNCTIONAL TRAINER W/2x200 LBS, DIM.(LxWxH) : 900x1800x2130mm NET WT : 332 Kgs. [IFFT]	262000
44512	CE-3016	ADJUSTABLE CROSSOVER W/100x2 Kgs., DIM.(LxWxH) : 4470x1090x2310mm NET WT: 396 Kgs.	235000
44513	CE-1017	FUNCTIONAL TRAINER W/100x2 Kgs., DIM.(LxWxH) : 1050x1760x2250mm NET WT : 345 Kgs.	235000
44003	CTB-15	ADJUSTABLE CROSSOVER W/100x2 Kgs., DIM.(LxWxH) : 4470x1090x2310mm NET WT. : 396 Kgs.	219000
44004	CTB-17	FUNCTIONAL TRAINER W/100x2 Kgs.,DIM.(LxWxH) : 1050x1760x2250mm NET WT. : 345 Kgs.	219000
WEIGHT MACHINES			
CTB Series-Dual Station			
44032	CTB-07	PEC FLY REAR DELT W/100 Kgs.,DIM.(LxWxH) : 1200x850x2030mm NET WT : 241 Kgs.	149000
44035	CTB-09	DIP CHIN ASSIST W/100 Kgs.,DIM.(LxWxH) : 1130x1400x2300mm NET WT : 268 Kgs.	149000
44000	CTB-10	LAT PULL ROW W/100 Kgs.,DIM.(LxWxH) : 1790x1230x2320mm NET WT : 234 Kgs.	149000
44001	CTB-12	MULTI PRESS W/100 Kgs.,DIM.(LxWxH) : 1890x1470x1640mm NET WT. : 224 Kgs.	149000
44002	CTB-14	AB BACK W/100 Kgs.,DIM.(LxWxH) : 1290x1010x1620mm NET WT. : 222 Kgs.	149000
44003	CTB-15	ADJUSTABLE CROSSOVER W/100x2 Kgs.,DIM.(LxWxH) : 4470x1090x2310mm NET WT. : 396 Kgs.	219000
44004	CTB-17	FUNCTIONAL TRAINER W/100x2 Kgs.,DIM.(LxWxH) : 1050x1760x2250mm NET WT. : 345 Kgs.	219000
44005	CTB-25	SEATED LEG CURL EXTENSION W/100 Kgs.,DIM.(LxWxH) : 1500x650x1625mm NET WT. : 222 Kgs.	149000
44006	CTB-29	BICEP TRICEP W/80 Kgs.,DIM.(LxWxH) : 1190x950x1630mm NET WT. : 222 Kgs.	149000
44007	CTB-52	ABDUCTOR ADDUCTOR W/100 Kgs.,DIM.(LxWxH) : 1550x880x1620mm NET WT. : 216 Kgs.	149000
44009	CTB-91	HORIZONTAL SEATED LEG CURL W/100 Kgs.,DIM.(LxWxH) : 1700x930x1620mm NET WT. : 220 Kgs.	149000
44033	CTB-69	FORE ARM WRIST CURL W/170 Kgs.,DIM.(LxWxH) : 535x640x950mm NET WT. : 110 Kgs.	45900
44034	CTB-89	FUNCTIONAL TRAINER+ SQUAT RACK + SMITH MACHINE (3-in-1) W/100x2 Kgs.DIM.(LxWxH) : 2380x1940x2300mm NET WT : 480 Kgs.	319000

CODE	MODEL	DESCRIPTION	PRICE (₹)
NON WEIGHT MACHINES			
CTB Series			
44010	CTB-36	FLAT BENCH DIM.(LxWxH) : 1420x570x430mm	NET WT : 36 Kgs. 23300
44011	CTB-37	ADJUSTABLE DECLINE BENCH DIM.(LxWxH) : 1660x670x770mm	NET WT : 48 Kgs. 43900
44012	CTB-38	UTILITY BENCH DIM.(LxWxH) : 1200x670x820mm	NET WT : 23 Kgs. 30600
44013	CTB-39	MULTI PURPOSE BENCH DIM.(LxWxH) : 1400x670x440mm	NET WT : 38 Kgs. 43900
44014	CTB-41	OLYMPIC DECLINE BENCH DIM.(LxWxH) : 2060x1660x1220mm	NET WT : 78 Kgs. 61500
44015	CTB-42	OLYMPIC INCLINE BENCH DIM.(LxWxH) : 1980x1660x1400mm	NET WT : 77 Kgs. 61500
44016	CTB-43	OLYMPIC FLAT BENCH DIM.(LxWxH) : 1670x1660x1230mm	NET WT : 61 Kgs. 56900
44017	CTB-44	SEATED PREACHER CURL DIM.(LxWxH) : 1340x780x940mm	NET WT : 46 Kgs. 43900
44018	CTB-45	BACK EXTENSION DIM.(LxWxH) : 1130x900x750mm	NET WT : 45 Kgs. 43900
44019	CTB-47	VERTICAL KNEES UP DIP DIM.(LxWxH) : 1170x750x1600mm	NET WT : 69 Kgs. 65900
44020	CTB-48	POWER CAGE DIM.(LxWxH) : 1480x1330x2290mm	NET WT : 131 Kgs. 89900
44021	CTB-50	SQUAT RACK DIM.(LxWxH) : 1780x1680x1790mm	NET WT : 111 Kgs. 63600
44022	CTB-54	PLATE TREE VERTICAL DIM.(LxWxH) : 600x600x1250mm	NET WT : 40 Kgs. 23900
44008	CTB-59	LEG PRESS HACK SQUAT DIM.(LxWxH) : 2420x1610x1450mm	NET WT. : 249 Kgs. 189000
44023	CTB-61	INCLINE LEVEL ROW DIM.(LxWxH) : 1800x1000x1160mm	NET WT : 60 Kgs. 56900
44024	CTB-62	SEATED CALF DIM.(LxWxH) : 1460x600x1015mm	NET WT : 53 Kgs. 50500
44025	CTB-63	SMITH MACHINE DIM.(LxWxH) : 1450x2200x2200mm	NET WT : 284 Kgs. 172000
44026	CTB-65	SUPER SQUAT DIM.(LxWxH) : 1990x1640x1450mm	NET WT : 196 Kgs. 154000
44027	CTB-67	BEAUTY DUMBBELL(3 Tier) DIM.(LxWxH) : 1445x650x1015mm	NET WT. : 69 Kgs. 54800
44038	CTB-70	ABDOMINAL CRUNCH MACHINE DIM.(LxWxH) : 1530x890x980mm	NET WT. : 60 Kgs. 76800
44039	CTB-71	STRETCH MACHINE DIM.(LxWxH) : 1450x520x1150mm	NET WT. : 46 Kgs. 63600
44036	CTB-73	3D SMITH MACHINE DIM.(LxWxH) : 2220x2190x2270mm	NET WT. : 265 Kgs. 173000
44028	CTB-86	FID BENCH + RACK (3in1) Bench : DIM.(LxWxH) : 1040x1730x1390mm Stand : DIM.(LxWxH) : 1600x760x580mm	NET WT. : 140 Kgs. 83400
44030	CTM-87	FID BENCH (3in1) DIM.(LxWxH) : 1700x670x460mm	NET WT : 64 Kgs. 52600
44029	CTB-87	SMITH WITH HACK SQUAT DIM.(LxWxH) : 2351x1367x2159mm	NET WT : 128 Kgs. 226000
44037	CTM-92	SISSY SQUAT DIM.(LxWxH) : 1005x560x510mm	NET WT. : 42 Kgs. 33000

CODE	MODEL	DESCRIPTION	PRICE (₹)
------	-------	-------------	-----------

WEIGHT MACHINES

CSW Series

44253	CSW-5	LEG EXTENSION	W/170 LBS,DIM.(LxWxH) : 1190x1160x1400mm	NET WT : 100 Kgs.[IF8105]	121000
44254	CSW-6	LEG CURL MACHINE	W/170 LBS,DIM.(LxWxH) : 1430x1170x1400mm	NET WT : 103 Kgs.[IF806]	121000
44256	CSW-8	SHOULDER PRESS MACHINE	W/200 LBS,DIM.(LxWxH) : 1390x1190x1400mm	NET WT : 87 Kgs. [IF8112]	121000
44259	CSW-13	BICEP TRICEP COMBO	W/200 LBS,DIM.(LxWxH) : 1260x840x2110mm	NET WT : 76 Kgs. [IF8123]	121000
44261	CSW-16	PEC DEC REAR DELT	W/170 LBS,DIM.(LxWxH) : 1310x1450x1810mm	NET WT : 100 Kgs.[IF8122]	121000
44262	CSW-17	AB BACK COMBO	W/200 LBS,DIM.(LxWxH) : 1210x1050x1400mm	NET WT : 79 Kgs. [IF8124]	121000
44263	CSW-18	FUNCTIONAL TRAINER	W/2x200 LBS,DIM.(LxWxH) : 900x1800x2130mm	NET WT : 332 Kgs. [IFFT]	262000
44257	CSW9	 CABLE CROSSOVER MACHINE	W / 150 LBS, L X W X H - 3600x1040x2120mm	NET.WT.290 KGS.[IFCC]	262000

NON WEIGHT MACHINES

CS Series

44268	CS-8	SEATED ARM CURL	DIM.(LxWxH) : 1020x710x820mm	NET WT : 24 Kgs. [IFSPC]	26200
44269	CS-10	AB BACK MACHINE	DIM.(LxWxH) : 1520x1000x1060mm	NET WT : 38 Kgs. [IFABM]	48200
44270	CS-11	LEG EXTENSION AND CURL	DIM.(LxWxH) : 1210X1040X1040mm	NET WT : 51 Kgs. [IFLEGM]	52600
44271	CS-13	SMITH MACHINE W LINEAR BEARING	DIM.(LxWxH) : 1960x1720x2090mm	NET WT : 133 Kgs.[FHC+FHCS]	136000
44272	CS-14	LEG PRESS HACK SQUAT	DIM.(LxWxH) : 2500x800x1500mm	NET WT : 145 Kgs.[IFLPHS]	171000

BENCHES

CS Series

44273	CS-1	FLAT BENCH	DIM.(LxWxH) : 1300x520x490mm	NET WT : 20 Kgs. [IFFB]	19800
44274	CS-2	HYPER EXTENSION BENCH	DIM.(LxWxH) : 1300x520x490mm	NET WT : 23 Kgs. [IF45]	28400
44275	CS-3	MULTI PURPOSE BENCH	DIM.(LxWxH) : 1580x650x510mm	NET WT. : 33 Kgs. [IFFID]	37200
44277	CS-4	OLYMPIC FLAT BENCH PRESS	DIM.(LxWxH) : 1520x1310x1260mm	NET WT : 60 Kgs. [IFOFB]	61400
44278	CS-5	OLYMPIC INCLINE BENCH PRESS	DIM.(LxWxH) : 1560x1310x1190mm	NET WT : 68 Kgs. [IFOIB]	65900
44279	CS-6	OLYMPIC DECLINE BENCH PRESS	DIM.(LxWxH) : 1900x1310x1150mm	NET WT : 70 Kgs. [IFODB]	65900
44265	CS-7	OLYMPIC BENCH	DIM.(LxWxH) : 1430x1260x1460mm	NET WT : 62 Kgs. [IFOB]	52600
44266	CS-16	ADJUSTABLE ABDOMINAL BENCH	DIM.(LxWxH) : 1680x560x1140mm	NET WT : 24 Kgs. [IFAAB]	26200

RACKS

CS Series

44280	CS-15	BEAUTY BELL RACK	DIM.(LxWxH) : 1370x1470x860mm	NET WT : 47 Kgs.[IFDB4+IFDB4A]	34900
-------	-------	------------------	-------------------------------	--------------------------------	-------

CODE	MODEL	DESCRIPTION	PRICE (₹)
WEIGHT MACHINES			
FORCE Series			
45000	CAD-001	SEATED CHEST PRESS W/100 Kgs., DIM.(LxWxH) : 1500x960x1645mm NET WT : 210 Kgs.	99000
45002	CAD-003	SHOULDER PRESS W/100 Kgs., DIM.(LxWxH) : 1700x1500x1645mm NET WT : 244 Kgs.	99000
45003	CAD-004	SEATED ROW W/100 Kgs., DIM.(LxWxH) : 1420x1090x1645mm NET WT : 222 Kgs.	99000
45006	CAD-010	ABDOMINAL CRUNCH W/80 Kgs., DIM.(LxWxH) : 1210x1155x1645mm NET WT : 198 Kgs.	99000
45007	CAD-012A	SEATED HORIZONTAL PULLEY W/100 Kgs., DIM.(LxWxH) : 1570x1090x1645mm NET WT : 194 Kgs.	99000
45009	CAD-013A	HORIZONTAL LEG CURL W/100 Kgs., DIM.(LxWxH) : 1650x1145x1645mm NET WT. : 232 Kgs.	99000
45010	CAD-014	LEG EXTENSION W/80 Kgs., DIM.(LxWxH) : 1675x1210x1645mm NET WT. : 198 Kgs.	99000
45012	CAD-019	OUTER THIGH ABDUCTOR W/80 Kgs., DIM.(LxWxH) : 1355x1270x1645mm NET WT. : 202 Kgs.	99000
CANNON Series-Plate Loaded			
44800	CTG-05	CHEST PRESS DIM.(LxWxH) : 1185x1660x1740mm NET WT : 165 Kgs.	116000
44801	CTG-15	INCLINE CHEST PRESS DIM.(LxWxH) : 1040x1890x1700mm NET WT : 152 Kgs.	116000
44802	CTG-20	PULL DOWN DIM.(LxWxH) : 1810x1160x1925mm NET WT : 128 Kgs.	116000
44803	CTG-25	LOW ROW DIM.(LxWxH) : 1310x1290x1660mm NET WT : 167 Kgs.	116000
44804	CTG-30	INCLINE LEVEL ROW DIM.(LxWxH) : 1440x1390x1300mm NET WT : 148 Kgs.	116000
44805	CTG-35	SHOULDER PRESS DIM.(LxWxH) : 1275x1525x1520mm NET WT : 135 Kgs.	116000
44806	CTG-40	REAR KICK DIM.(LxWxH) : 1490x1130x1610mm NET WT : 120 Kgs.	116000
44807	CTG-60	TRICEPS DIM.(LxWxH) : 1700x1450x1030mm NET WT. : 175 Kgs.	116000
44808	CTG-65	BICEPS DIM.(LxWxH) : 1060x1630x950mm NET WT. : 160 Kgs.	116000
44809	CTG-70	LEG EXTENSION DIM.(LxWxH) : 1250x1345x1185mm NET WT. : 160 Kgs.	116000
<p>FORCE Series : Steel Tubing : 70x130mm (D Type) / 50x120mm(Flat Oval) Thickness of Steel : 3.0mm Pulley : 105mm dia. Seat : PU Wt.Plate - Material : Alloy Steel, Wt. : 100 Kgs.</p> <p>CANON Series : Steel Tubing : Black Colour, 60x120mm Thickness of Steel : 3.0mm Round Pipe : 105mm Seat : PU Arms Colour : Fluro Green</p>			

CODE	MODEL	DESCRIPTION	PRICE (₹)
WEIGHT MACHINES			
NITRO Series			
44515	CE-5001	PRONE LEG CURL W/94 Kgs., DIM.(LxWxH) : 1800x970x1500mm NET WT : 205 Kgs.	143000
44516	CE-5002	LEG EXTENSION W/109 Kgs., DIM.(LxWxH) : 1400x1050x1500mm NET WT : 214 Kgs.	143000
44517	CE-5003	LEG PRESS W/109 Kgs., DIM.(LxWxH) : 1850x1050x1500mm NET WT : 255 Kgs.	143000
44518	CE-5006	SHOULDER PRESS W/109 Kgs., DIM.(LxWxH) : 1900x1350x1500mm NET WT : 231 Kgs.	143000
44519	CE-5007	PEC FLY/ REAR DELT W/109 Kgs., DIM.(LxWxH) : 1240x940x2110mm NET WT : 227 Kgs.	143000
44520	CE-5008	VERTICAL PRESS W/109 Kgs., DIM.(LxWxH) : 1400x1350x1500mm NET WT : 214 Kgs.	143000
44521	CE-5009	DIP/ CHIN ASSIST W/88 Kgs., DIM.(LxWxH) : 1550x1370x2360mm NET WT : 289 Kgs.	143000
44522	CE-5023	SEATED LEG CURL W/109 Kgs., DIM.(LxWxH) : 1580x1050x1500mm NET WT : 220 Kgs.	143000
44523	CE-5030	BICEP CURL W/94 Kgs., DIM.(LxWxH) : 1500x1300x1500mm NET WT : 194 Kgs.	143000
44524	CE-5034	VERTICAL ROW W/94 Kgs., DIM.(LxWxH) : 1500x1300x1500mm NET WT : 194 Kgs.	143000
44525	CE-5035	PULL DOWN W/109 Kgs., DIM.(LxWxH) : 1850x1090x2340mm NET WT : 248 Kgs.	143000
MAGNUM Series			
44500	CE-3001	PRONE LEG CURL W/94 Kgs., DIM.(LxWxH) : 1520x990x1620mm NET WT : 216 Kgs.	141000
44501	CE-3002	LEG EXTENSION W/109 Kgs., DIM.(LxWxH) : 1300x990x1350mm NET WT : 223 Kgs.	141000
44502	CE-3003	LEG PRESS W/109 Kgs., DIM.(LxWxH) : 1900x1100x1620mm NET WT : 220 Kgs.	141000
44547	CE-3005	LATERAL RAISE W/109 Kgs., DIM.(LxWxH) : 1300x860x1370mm NET WT : 220 Kgs.	141000
44503	CE-3006	SHOULDER PRESS W/109 Kgs., DIM.(LxWxH) : 1850x1220x1320mm NET WT : 239 Kgs.	141000
44504	CE-3007	PEC FLY/ REAR DELT W/109 Kgs., DIM.(LxWxH) : 1240x990x2110mm NET WT : 227 Kgs.	141000
44505	CE-3008	VERTICAL PRESS W/109 Kgs., DIM.(LxWxH) : 1320x1300x1350mm NET WT : 214 Kgs.	141000
44506	CE-3009	DIP/ CHIN ASSIST W/88 Kgs., DIM.(LxWxH) : 1550x1370x2360mm NET WT : 289 Kgs.	141000

MAGNUM Series : Frame : 50x100mm | Thickness of Steel : 2.5mm | Cable : 6.0mm | Wt.Plate - Material : Cast Iron | Seat : Material : High Density P.U.

NITRO Series : Frame : 50x100mm | Thickness of Steel : 2.5mm | Cable : 6.0mm | Wt.Plate - Material : Cast Iron | Seat : Material : High Density P.U.

CODE	MODEL	DESCRIPTION	PRICE (₹)
WEIGHT MACHINES			
MAGNUM Series			
44507	CE-3013	INCLINE PRESS W/109 Kgs., DIM.(LxWxH) : 2060x1350x1620mm NET WT : 215 Kgs.	141000
44512	CE-3016	ADJUSTABLE CROSSOVER W/100x2 Kgs.DIM.(LxWxH) : 4470x1090x2310mm NET WT: 396 Kgs.	235000
44508	CE-3023	SEATED LEG CURL W/109 Kgs., DIM.(LxWxH) : 1650x940x1350mm NET WT : 220 Kgs.	141000
44509	CE-3030	BICEP/ CAMBER CURL W/64 Kgs., DIM.(LxWxH) : 1190x890x1620mm NET WT : 158 Kgs.	141000
44510	CE-3033	LONG PULL W/109 Kgs., DIM.(LxWxH) : 2820x1090x2360mm NET WT : 268 Kgs.	141000
44548	CE-3034	VERTICAL ROW W/109 Kgs., DIM.(LxWxH) : 1550x1370x1600mm NET WT : 230 Kgs.	141000
44511	CE-3035	LAT PULL DOWN W/109 Kgs., DIM.(LxWxH) : 1850x1090x2340mm NET WT : 248 Kgs.	141000
44513	CE-1017	FUNCTIONAL TRAINER W/100x2 Kgs.DIM.(LxWxH) : 1050x1760x2250mm NET WT : 345 Kgs.	235000
NON WEIGHT MACHINES			
MAGNUM-NITRO Series			
44526	CE-3036	FLAT BENCH DIM.(LxWxH) : 1410x680x420mm NET WT : 30 Kgs.	26200
44527	CE-3037	ADJUSTABLE DECLINE BENCH DIM.(LxWxH) : 1640x680x990mm NET WT : 59 Kgs.	48200
44528	CE-3038	MULTI-PURPOSE BENCH DIM.(LxWxH) : 1060x680x900mm NET WT : 35 Kgs.	32900
44529	CE-3039	SUPER BENCH DIM.(LxWxH) : 1380x680x690mm NET WT : 43 Kgs.	52600
44530	CE-3041	OLYMPIC DECLINE BENCH DIM.(LxWxH) : 2090x1700x1220mm NET WT : 98 Kgs.	72400
44531	CE-3042	OLYMPIC INCLINE BENCH DIM.(LxWxH) : 1960x1700x1400mm NET WT : 127 Kgs.	78900
44532	CE-3043	OLYMPIC FLAT BENCH DIM.(LxWxH) : 1740x1700x1220mm NET WT. : 94 Kgs.	65900
44533	CE-3044	SEATED PREACHER CURL DIM.(LxWxH) : 1130x840x880mm NET WT. : 54 Kgs.	52600
44534	CE-3045	BACK EXTENSION DIM.(LxWxH) : 1210x890x670mm NET WT : 55 Kgs.	45900
44535	CE-3047	VERTICAL KNEES UP DIP DIM.(LxWxH) : 1270x710x1600mm NET WT : 100 Kgs.	74600

MAGNUM Series : Frame : 50x100mm | Thickness of Steel : 2.5mm | Cable : 6.0mm | Wt.Plate - Material : Cast Iron | Seat : Material : High Density P.U.

NITRO Series : Frame : 50x100mm | Thickness of Steel : 2.5mm | Cable : 6.0mm | Wt.Plate - Material : Cast Iron | Seat : Material : High Density P.U.

CODE	ITEM	MODEL	DESCRIPTION	PRICE (₹)
------	------	-------	-------------	-----------

NON WEIGHT MACHINES

MAGNUM-NITRO Series

44536	CE-3048	POWER CAGE	DIM.(LxWxH) : 1570x1240x2340mm	NET WT : 164 Kgs.	100900
44537	CE-3050	SQUAT RACK	DIM.(LxWxH) : 1730x1700x1780mm	NET WT : 160 Kgs.	63600
44538	CE-3054	VERTICAL PLATE TREE	DIM.(LxWxH) : 610x580x1240mm	NET WT : 40 Kgs.	43900
44539	CE-3056	ANGLED LEG PRESS	DIM.(LxWxH) : 2210x1630x1350mm	NET WT : 266 Kgs.	202000
44540	CE-3057	HACK SQUAT	DIM.(LxWxH) : 2240x1260x1260mm	NET WT : 196 Kgs.	202000
44541	CE-3061	INCLINE LEVEL ROW	DIM.(LxWxH) : 1850x790x1190mm	NET WT : 90 Kgs.	45900
44542	CE-3062	SEATED CALF	DIM.(LxWxH) : 1500x710x990mm	NET WT : 75 Kgs.	37200
44543	CE-3063	SMITH MACHINE	DIM.(LxWxH) : 1420x2210x2360mm	NET WT : 289 Kgs.	169000
44544	CE-3065	SUPER SQUAT	DIM.(LxWxH) : 2010x1630x1470mm	NET WT : 196 Kgs.	156000
44545	CE-3077	DUMBBELL RACK	DIM.(LxWxH) : 720x2480x810mm	NET WT : 26 Kgs.	52600
44546	CE-6221	HALF RACK	DIM.(LxWxH) : 1735x1800x2465mm	NET WT : 255 Kgs.	215000

SPECIAL MACHINES

53252	XPL2002+XPC 202 DEGREE	T-PLATFORM+HALF POWER RACK	DIM.(LxWxH) : 3200x3000x2500mm	NET WT : 553 Kgs.	549000
45100	CDZ-02	TYRE FLIP MACHINE	DIM.(LxWxH) : 1630x1200x580mm	NET WT : 145 Kgs.	96600
45101	CJF	ABDOMINAL COAST	DIM.(LxWxH) : 1710x720x1450mm	NET WT : 35 Kgs.	72400
45102	CDZ-29	MULTI-TRAINER	DIM.(LxWxH) : 2195x1350x1620mm	NET WT : 160 Kgs.	187000
45103	CTC-74	SHOULDER PRESS	DIM.(LxWxH) : 1400x1560x1660mm	NET WT : 176 Kgs.	164000
45104	CTS-114	MULTI-FUNCTIONAL TRAINER W/200 Kgs.	DIM.(LxWxH) : 1800x2230x2290mm	NET WT : 368 Kgs.	308000
51039	XRS DEGREE	9 ROD STAND (FUNCTIONAL TRAINER+SMITH+RACK)	DIM.(LxWxH) : 508x508x152mm	NET WT : 13 Kgs.	8800

MULTI-PURPOSE BENCH

45107	IF-2011	MULTI-PURPOSE BENCH(FID)	DIM.(LxWxH) : 1580x650x500mm	NET WT : 32 Kgs.	41600
45108	ES-7011	MULTI-BENCH(FID)	DIM.(LxWxH) : 1440x525x489mm	NET WT : 34 Kgs.	43800
45109	SL-7011	FID-BENCH(FID)	DIM.(LxWxH) : 1350x670x1350mm	NET WT : 44 Kgs.	54800

COSCO (INDIA) LIMITED

2/8 Roop Nagar, Delhi-110007

Tel.: +91 11 23843000 | Fax: +91 11 23846000

E-mail: mail@cosco.in | cosco.in

Online Store : <https://store.cosco.in>

